



The article is no longer in our assortment.

Features:

EUROLITE LED PMB-4 COB RGB 30W Bar

Bright bar with 4 x 30 W COB LED, good RGB color mixture, wide beam angle

- Equipped with 4 x 30 W COB LED in the colors red, green and blue
- 3, 5, 12 or 15 DMX channels selectable for numerous applications
- Each LED can be controlled individually
- Rugged housing and an appealing design
- Base for standing installation
- Functions: Static colors, RGB color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Sound-control via built-in microphone; sensitivity adjustable
- Comfortable addressing and setting via control panel with LCD display and four operating buttons
- Neutrik powerCON terminals for power linking up to 8 units
- Switch-mode power supply for operation between 100 and 240 volts
- 4 powerful LEDs 30 W COB (chip-on-board) 3in1 TCL RGB (homogenous color mix)
- Strobe effect
- Control via stand-alone; DMX; Sound to light via Microphone
- Preprogrammed in Light´J; Light Captain
- With a beam angle of 60°
- For further information about this product, please refer to the Data Sheet under "Downloads"

Logistic

ROADINGER Flightcase 2x PMB-4

PRO flightcase for 2 x PMB-4

- Compartments for two PMB-4
- Suitable for EUROLITE LED PMB-4 COB RGB 30W Bar
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (30 mm) with rounded edges
- Interior upholstered with foam
- Three-leg, medium-sized steel ball corners
- 2 hinges
- 1 butterfly lock
- 1 case handle
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight:	16,30 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

EUROLITE LED PMB-4 COB RGB 30W Bar

Power supply:	230 V AC, 50 Hz
Power consumption:	130,00 W
IP classification:	IP20
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Power output:	1 x PowerCON (gray), mounting version
Lamp type:	LED lamp
LED:	4 x 30 W COB (chip-on-board) 3in1 TCL RGB (homogenous color mix)
Flash rate:	0 - 18 Hz
DMX channels:	3; 5; 12; 15
DMX input:	1 x 3-pin XLR (M) mounting version 1 x 5-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version 1 x 5-pin XLR (F) mounting version
Control:	Stand-alone; DMX; Sound to light via Microphone
Preprogrammed in:	Light J; Light Captain
Beam angle:	60°
Beam angle (1/2 peak):	60°
Housing color:	Black
Dimensions:	Length: 44 cm Depth: 15 cm Height: 16,5 cm
Weight:	5,50 kg
Legal specifications	

Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 2x PMB-4

Maximum load:	25 kg
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Compartment dimensions:	18,5 cm x 17 cm x 41 cm
Inside dimensions:	38 cm x 17 cm x 41 cm
Dimensions:	Width: 41,5 cm Depth: 20,5 cm Height: 50,5 cm
Weight:	5,30 kg