



Features:

EUROLITE LED Pixel Tube 360° clear 0,5m

DMX LED tube for truss installation or ceilings

- Lightweight plastic tube
- 360° beam angle
- Equipped with 28 TCL LEDs, every tube is divided in 7 pixels with 4 LEDs each
- Functions: static colors, RGB color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Controllable via EUROLITE LED PSU-24V/4 DC controller; needed for operating the unit and not included in the delivery
- 4 LED Pixel Tubes 360° can be used with one controller
- Ideal for discotheques and clubs
- Control via Art-Net; stand-alone; DMX

EUROLITE LED PSU-24V/4 DC LED Tube 360°

Controller for EUROLITE LED Pixel Tubes 360°

- Controller and power supply unit for 4 LED light tubes
- Color change adjustable; Dimmer electronic; color blend stepless
- Strobe effect
- Control via stand-alone; DMX; sound to light via microphone; master/slave function
- Fixtures available for LED PC-Control 512
- 3 digit 7-segment LED display

Logistic

Technical specifications:

Special product: Not designed for household room illumination

Intended use: Show effect lighting

EUROLITE LED Pixel Tube 360° clear 0,5m

Power consumption: 5.00 W

Control: Art-Net; stand-alone; DMX

Beam angle (1/2 peak): 360°

Dimensions: Length: 52.5 cm
Depth: 5 cm
Height: 5 cm

Weight: 0.30 kg

LED type: SMD TCL 5050

LED number: 28

Beam angle: 360°

Dimensions (L x W x H): 525 x 50 x 50 mm

Special product: Not designed for household room illumination

Intended use: Show effect lighting

EUROLITE LED PSU-24V/4 DC LED Tube 360°

Power supply: 100-240 V AC, 50/60 Hz

Power consumption: 95.00 W

Power connection: Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)

Power output: 1 x IEC connector (F) mounting version

DMX channels: 5; 7; 14; 84; 192; 312

DMX input: 1 x 3-pin XLR (M) mounting version

DMX output: 1 x 3-pin XLR (F) mounting version

Control: Stand-alone; DMX; sound to light via microphone; master/slave function

Fixtures available for: LED PC-Control 512

Maximum connection: 4 tubes

Display type: 3 digit 7-segment LED display

Output: 24 V DC;

Dimensions: Width: 24 cm
Depth: 29 cm
Height: 6 cm

Weight: 2.05 kg

Scope of delivery:

- 1 x device
- 1 x user manual
- 1 x power cord