



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED PMC-16x30W COB RGB WFL

PRO COB performance cluster (4 x 4 matrix) with 60° beam angle

- Equipped with 16 x 30 W COB LEDs in the colors red, green and blue
- 3, 5, 48 or 51 DMX channels selectable for various applications
- Each LED can be controlled individually
- Switch-mode power supply, automatic power supply adaption between 100 and 240 Volts without power selector
- Functions: static colors; RGB color mixture, automatic color change, built-in programs and strobe effect with variable speed, dimmer, Master/Slave
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Comfortable addressing and setting via control panel with LC display and four operating buttons
- Locking possibility at the mounting bracket
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 device the fixtures must have a renewed connection with the power mains
- DMX control via every standard DMX controller
- Control via DMX; Sound to light via Microphone
- Preprogrammed in Light´J; Light Captain
- For further information about this product, please refer to the Data Sheet under "Downloads"

### Logistic

#### ROADINGER Flightcase 2x PMC-16

PRO flightcase for 2 x PMC-16

- Compartments for 2 x PMC-16

- Suitable for 41606200 EUROLITE LED PMC-16x20W COB 3200K and 41606400 EUROLITE LED PMC-16x30W COB RGB
- Interior upholstered with foam
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (25 mm) with rounded edges
- Three-leg, large steel ball corners
- 2 hinges
- 2 high-quality butterfly locks
- 2 case handles
- Branded hardware
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight:	25,20 kg
<hr/>	
Legal specifications	
<hr/>	
Special product:	Not designed for household room illumination
<hr/>	
Intended use:	Show effect lighting
<hr/>	

### EUROLITE LED PMC-16x30W COB RGB WFL

Power supply:	100-240 V AC, 50/60 Hz
<hr/>	
Power consumption:	470 W
<hr/>	
IP classification:	IP20
<hr/>	
Power output:	1 x PowerCON (gray), mounting version
<hr/>	
Lamp type:	LED lamp
<hr/>	
Flash rate:	1 - 20 Hz
<hr/>	
DMX channels:	3
<hr/>	
Control:	DMX; Sound to light via Microphone
<hr/>	
Preprogrammed in:	Light J; Light Captain
<hr/>	
Beam angle (1/2 peak):	60°
<hr/>	
Housing color:	Black
<hr/>	
Dimensions:	Width: 18 cm Depth: 37 cm Height: 35 cm
<hr/>	
Weight:	8,5 kg
<hr/>	
DMX channels:	3/5/48/51
<hr/>	
DMX connection:	5-pin and 3-pin XLR
<hr/>	
Flash-rate:	20 Hz
<hr/>	
Sound-control:	via built-in microphone
<hr/>	
LED number:	16
<hr/>	
LED type:	Cluster 30 W, RGB
<hr/>	
Beam angle:	60°
<hr/>	
Dimensions (W x D x H):	350 x 180 x 370 mm
<hr/>	
Legal specifications	
<hr/>	
Special product:	Not designed for household room illumination
<hr/>	

Intended use: Show effect lighting

---

**ROADINGER Flightcase 2x PMC-16**

Maximum load:	50 kg
Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Dimensions:	Width: 39 cm Depth: 44,5 cm Height: 43 cm
Weight:	8,20 kg
Strength:	7 mm
Outside dimensions (W x D x H):	390 x 445 x 430 mm
Inside dimensions (W x D x H):	415 x 355 x 335 mm
Compartment dimensions (W x D x H):	355 x 200 x 335 mm