

OMNITRONIC CDP-180 Single CD player

DJ CD player with infrared remote control

Art. No.: 10602248

GTIN: 4026397182781



The article is no longer in our assortment.

Features:

- Starter device with a variety of functions
- The 10 second Anti-Shock buffer keeps the CD from jumping
- All functions located in a well-structured operating field
- Infrared remote control
- Comfortable track selection via Skip buttons and +10 button
- Large Play/Pause button and Cue button
- Auto Cue function: the player automatically jumps to where the music starts
- Back Cue function: by pressing the Cue button, the player returns to the track start or Cue point
- Ergonomic LCD of all operation modes
- Display switchable from track remain time to track playback time
- Visual warning from 15 seconds before track end
- Pitch adjustment via pitchfader is displayed
- Pitch Bend buttons for synchronizing the bass beat of 2 signal sources
- Pitch adjustment of $\pm 12\%$ via pitchfader
- Jog/Shuttle wheel for quick track selection and framewise search (1/75 sec)
- Sequence playback via Loop button possible
- Up to 20 tracks can be programmed
- Single mode for playing one track only
- Open/Close button locked in playback mode
- LED display of all important functions
- Rack installation
- Ideal for the installation in side racks, e.g. for pause music

Logistic

EAN / GTIN: 4026397182781

Weight: 4,55 kg

Length: 0.51 m

Width: 0.32 m

Height: 0.16 m

Technical specifications:

Power supply:	115/230 V AC, 50/60 Hz
Power consumption:	14,00 W
Dimensions:	Width: 48,3 cm Depth: 25,5 cm Height: 8,9 cm
Weight:	3,80 kg
Type:	Single Compact Disc player
Available disc:	Standard CDs (8 and 12 cm)
Quantisation:	D/A converter: 1 bit
Sampler frequency:	44.1 kHz
Program memory:	Up to 20 songs
Pitch adjustment:	±12 %
Display:	Remaining track time and track playback time
Distortion:	0.02 %
S/N ratio:	88 dB
Channel separation:	80 dB
Frequency range:	20-20000 Hz, ±1 dB
Audio output:	unbalanced via RCA
Output level:	2 Vrms
Dimensions:	482 x 90 x 255 mm
	Rack installation