

OMNITRONIC MSE-8+ Battery Party Speaker with LED Effects

Mobile 8" PA system with battery operation, lighting effects, Bluetooth and microphone


Art. No.: 13107019 GTIN: 4026397724233











incl. 19% VAT.

Features:

- Cordless, flexible and versatile
- Stereo Bluetooth link for wireless stereo operation with 2 systems linked together
- Dynamic lighting effects get your party started
- 1 microphone input (XLR) with adjustable reverb effect
- 1 stereo input channel for line signal sources e.g. CD players and notebooks
- SD card slot and USB port
- Tone control and master control
- Power-efficient and battery-saving class D amplifier
- Lightweight plastic housing
- Rugged carrying handle
- Integrated automatic charging of the battery and status indicator
- Battery operation up to 4,5h speaker; battery operation up to 2,5h Lighting effect and speaker
- For application areas such as: Party room; mobile use; home entertainment
- Application possibility: Standing

Audio player

- Control via IR remote control; Bluetooth
- 2.4 GHz license-free worldwide
- Bluetooth: Operating range up to 10m

Remote control

IR remote control: Operating range up to 10m

Package contents

- 1 x device, 1 x power cord, 1 x microphone, 1 x remote control, 1 x user manual, 1 x declaration of conformity, 1 x xLR cable

Logistic

EAN / GTIN: 4026397724233

Weight: 6,72 kg Length: 0.43 m Width: 0.29 m Heigth: 0.28 m

Technical specifications:

100-240 V AC, 50/60 Hz
30 W
Protection class I
Max. 25 W
Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Battery/battery pack built-in
1 x lithium ion 11,1 V, 2200 mAh, 24,4 Wh
Battery operation up to 4,5h speaker Battery operation up to 2,5h Lighting effect and speaker
Recharging time 6,5h
50 - 18000 Hz
<0,5 % at 1 kHz
89 dB (1W/1m)
105 dB
X R/G/B
Version: 5 with stereo link (TWS)
OMNITRONIC MSE-8+
Flange: Ø 35mm
Power switch, Master control, level control per channel, tone control, Echo effect control
Power, peak, charge status indicator
Input: Microphone via 3-pin XLR (F) mounting version
Input: line via RCA (F) mounting version
Input: USB A (F) mounting version
Mono via XLR, channel control via Rotary dial Stereo via RCA or player, channel control via Rotary dial
Master: 2-band tone control stereo
USB devices/SD cards
Woofer 8" with ferrit magnet
Voice coil lows 1,5"
Compression tweeter highs 1"
Тур А
Lighted party speaker; Compact cabinet speaker
Vented; Vented
1 pc/pcs
Plastic
Grey

Weight:	6,01 kg
Audio player	
Control:	IR remote control; Bluetooth
Audio player:	USB + SD + Bluetooth
Range:	Bluetooth: range up to 10m
Frequency band:	2.4 GHz
Music format:	MP3, WMA; WAV
Remote control	
Power supply:	3 V DC
Battery:	1 x button cell CR2025 built-in
Range:	IR remote control: range up to 10m