

EUROLITE Set PAR-16 Spot sil + GU-10 230V COB 1x3W LED 2700K

PAR-16 housing with GU-10 socket including special lamp for show effect lighting

Art. No.: 2000098

GTIN:



The article is no longer in our assortment.

Features:

EUROLITE PAR-16 Spot GU-10 silver

PAR-16 housing with GU10 socket (with plug + cable)

- Mini-spot for GU-10 lamp
- Control via plug and play
- For PAR 16

Package contents

- 1 x spotlight, 1 x filter frame, 1 x user manual

Logistic

OMNILUX GU-10 230V COB 1x3W LED 2700K

Special lamp for show effect lighting

- Hot restrike

Technical specifications:

Weight: 320 g

EUROLITE PAR-16 Spot GU-10 silver

| | |
|--------------------------|---|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | Max. 75 W |
| IP classification: | IP20 |
| Protection class: | Protection class I |
| Power connection: | Fixed power supply cord with safety plug |
| Cable construction: | 3 x 0,75 mm ² H05SS-F |
| Cable length: | Approx. 0,4 m |
| Base: | GU10 |
| Lamp type: | Selectable |
| Color generation: | Via color filter frame |
| Control: | Plug and play |
| Construction: | PAR-16 |
| Housing color: | Silver |
| Material: | Aluminum, 1 mm |
| Slot for spot length: | 8 cm x 8 cm |
| Dimensions: | Length: 17 cm Width: 11 cm Height: 13 cm |
| Weight: | 280 g |
| Mounting bracket | |
| Diameter mounting holes: | 2 x Ø10mm |
| Material: | Aluminum, 3 mm |
| Filter frame | |
| Shape: | Octagonal |
| Material: | Aluminum |
| Dimensions: | Length: 7,7 cm Width: 7,7 cm Diameter: Ø 5,3 cm |
| Weight: | 10 g |

OMNILUX GU-10 230V COB 1x3W LED 2700K

| | |
|-----------------------------|---|
| Operating voltage: | 230 V, 100 - 240 V |
| Nominal wattage: | 3 W |
| Base: | GU10 |
| Lamp type: | LED lamp; clear lamp; high voltage lamp |
| Lamp specification: | Hot restrike |
| Beam angle: | 38° |
| Color of light: | White |
| Color temperature: | 2700K |
| Lead time: | 1 s |
| Construction: | Reflector; Bi pin |
| Operating temperature max.: | 40° C |
| Operating temperature min.: | 20° C |
| Burning position: | S180 (universal) |

| | |
|------------------------------------|----------|
| Lamp life: | 50000 h |
| Dimensions (LxD): | 60x51 mm |
| Weight: | 50 g |
| Legal specifications | |
| Energy efficiency class (A++ - E): | A |