

## EUROLITE Set DMX LED Operator 6 + 4x LED PS-4 HCL spot

6 color spots (RGBWA+UV) with perfectly matching operator

Art. No.: 20000110

GTIN:



**The article is no longer in our assortment.**

### Features:

#### EUROLITE DMX LED Operator 6 Controller

Simple controller for 6 RGBWA+UV LED spots

- DMX controller for easy operation of standard 6-channel LED spots
- 6 spots or light effect units with RGBWA+UV LEDs can be controlled
- 6 DMX channels (red/green/blue/white/amber/UV) can be controlled per unit
- Sequence of white and amber function freely selectable
- 6 trigger buttons for direct color selection and preset chases
- 18 trigger buttons for color presets
- Internal memory for 1 scene
- Auto, fade and macro mode
- Fade and speed time can be adjusted separately
- Master fader
- Strobe function with adjustable speed
- Blackout function
- Desktop console
- Can transmit up to 36 DMX channels
- Control via DMX; Sound to light via Microphone
- Desktop console housing

#### EUROLITE LED PS-4 HCL Spot

Compact, fanless spot with 12 W 6in1 LEDs (RGBWA+UV)

- Operable in stand-alone mode or via DMX
- Adjustable microphone sensitivity via control board

### Logistic

- Functions: Static colors, RGBAW+UV color mixture, UV effects, auto mode, internal programs, dimmer and strobe settings via DMX, Master/Slave
  - Equipped with 4 x 12 W LEDs in red, green, blue, amber, white and UV
  - Designed for hanging or standing installation
  - Comfortable addressing and setting via control board with LED display and four operating buttons
  - Additional controlling possibility via the EUROLITE IR-7 remote control, included in delivery
  - IEC terminals for power linking up to 8 units
  - Switch-mode power supply for operation between 100 and 240 volts
  - 4 powerful LEDs 12 W high-power 6in1 HCL RGBWA/UV (homogenous color mix)
  - Strobe effect; UV effect
  - The device is cooled by passive convection cooling
  - Control via stand-alone; DMX; IR remote control; Sound to light via Microphone
  - Preprogrammed in Light´J; LED PC-Control 512; Light Captain
  - With a beam angle of 23°
  - Silent operation
- Package contents**
- 1 x spotlight, 1 x user manual, 1 x power cord, 1 x remote control, 1 x battery

## Technical specifications:

---

Weight: 8,71 kg

---

### EUROLITE DMX LED Operator 6 Controller

Power supply:	100-240 V AC, 50/60 Hz
Pin configuration:	Inside + / outside -
Power consumption:	4 W
IP classification:	IP20
Protection class:	Protection class III
Power connection:	Mains input via Coaxial power connector (M) mounting version power supply cord with AC adapter (provided)
DMX channels:	Output 36
DMX output:	1 x 3-pin XLR (F) mounting version
Control:	DMX; Sound to light via Microphone
Housing color:	Black
Color:	Black
Housing design:	Desktop console housing
Dimensions:	Width: 40 cm Depth: 15 cm Height: 7 cm
Weight:	1,60 kg

### EUROLITE LED PS-4 HCL Spot

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	33 W
IP classification:	IP20

Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Power output:	1 x IEC connector (F) mounting version
Lamp type:	LED lamp
LED:	4 x 12 W high-power 6in1 HCL RGBWA/UV (homogenous color mix)
DMX channels:	4; 10
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Cooling:	Passive convection cooling
Control:	Stand-alone; DMX; IR remote control; Sound to light via Microphone
Preprogrammed in:	Light J; LED PC-Control 512; Light Captain
Beam angle:	23°
Beam angle (1/2 peak):	23°
Beam angle (1/10 peak):	42°
Housing color:	Black
Dimensions:	Width: 18,9 cm Depth: 11,7 cm Height: 19,6 cm
Weight:	1,78 kg
Noise classification:	Class 0 (no noise at all)
Photobiological safety:	Risk Group 0
Remote control	
Battery:	1 x Button cell 3.0 V CR2025 lithium manganese built-in
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting