



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED TMH-9 Moving Head Wash

Compact washlight with 8 W 4in1 LEDs and RGBW color mixing

- Equipped with 7 x 8 W quadcolor LEDs with RGBW colors
- Compact lightweight
- 12 or 4 DMX channels selectable for numerous applications
- Stepless RGBW color mixture
- Color macros can be called up via DMX controller
- Dimmer
- Strobe effect with adjustable speed
- Exact positioning via 16 bit PAN/TILT movement resolution
- PAN-angle switchable between 540°, 360° and 180° (in sound and auto mode)
- TILT-angle switchable between 180° and 90° (in sound and auto mode)
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Sound-controlled via built-in microphone
- Control board with 4-digit LED display and foil-keyboard for adjusting the DMX-starting address, PAN/TILT Reverse, Program, Reset
- 7 powerful LEDs 8 W high-power 4in1 QCL RGBW (homogenous color mix)
- TILT angle switchable between 180° and 90°
- PAN angle switchable between 540° and 360°; and 180°
- Exact positioning (16 bit resolution)
- The device is cooled by cooling fan
- Control via DMX; stand-alone; Sound to light via Microphone
- Preprogrammed in Light J; LED PC-Control 512; Light Captain
- With a beam angle of 18°

#### Package contents

- 1 x omega bracket

### Logistic

## ROADINGER Flightcase 2x TMH-6/7/8/9

Trunk case, PRO version

- Detachable compartments - case can also be used as universal transport case
- With 2 Device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- Hinged, chromium plated case handle
- 2 chrome tip-over locks
- 1 high-quality butterfly lock
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight: 10,75 kg

---

## EUROLITE LED TMH-9 Moving Head Wash

Power supply: 230 V AC, 50 Hz

---

Power consumption: 50 W

---

IP classification: IP20

---

Power connection: Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)

---

Lamp type: LED lamp

---

LED: 7 x 8 W high-power 4in1 QCL RGBW (homogenous color mix)

---

Max. TILT movement: 180°, 90° Exact positioning (16 bit resolution)

---

Max. PAN movement: 540°, 360° Positioning; , 180° Exact positioning (16 bit resolution)

---

DMX channels: 4; 12

---

DMX input: 1 x 3-pin XLR (M) mounting version

---

DMX output: 1 x 3-pin XLR (F) mounting version

---

Cooling: Cooling fan

---

Control: DMX; stand-alone; Sound to light via Microphone

---

Preprogrammed in: Light J; LED PC-Control 512; Light Captain

---

Beam angle: 18°

---

Beam angle (1/2 peak): 18°

---

Housing color: Black

---

Dimensions: Width: 17,5 cm  
Depth: 17,5 cm  
Height: 24,5 cm

---

Weight: 3,30 kg

---

Legal specifications

---

Special product: Not designed for household room illumination

---

Intended use: Show effect lighting

---

**ROADINGER Flightcase 2x TMH-6/7/8/9**

|                          |   |
|--------------------------|---|
| Maximum load:            | 25 kg   |
| Aluminum profile frames: | 30 mm   |
| Case handle:             | 1 pc/pcs  |
| Stop hinge:              | 2 pc/pcs  |
| Lock:                    | Butterfly lock: 1 pc/pcs                        |
| Use of brands:           | Branded hardware                                |
| Material:                | Birch multiplex, 7 mm                           |
| Color:                   | Dark brown, laminated                           |
| Compartment dimensions:  | 18 cm x 18 cm x 23,5 cm                         |
| Inside dimensions:       | 37 cm x 18 cm x 23,5 cm                         |
| Dimensions:              | Width: 41 cm<br>Depth: 22 cm<br>Height: 33,5 cm |
| Weight:                  | 4,15 kg   |