



Features:

EUROLITE LED BAR-252 RGBA 10mm 20°

Versatile LED-RGBA color changer

- Operable in stand-alone mode or via DMX
- DMX512 control possible via any commercial DMX controller (occupies max.19 channels)
- 4, 6 or 19 DMX channels selectable for numerous applications
- Sound-control via built-in microphone
- Comfortable addressing and setting via control panel with LCD display and four operating buttons
- Functions: Static colors, RGBA color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Equipped with 252 x 10 mm LED
- Locking possibility at the mounting bracket
- Ready for connection with power cord and safety plug
- Available in 2 LED beam angles: 20° or 40°
- Advantages of high-power LED technology: extreme light output, long life, low power consumption, defacto maintenance free with brilliant light radiation
- Strobe effect
- Control via stand-alone; DMX
- With a beam angle of 20°

ROADINGER Flightcase 4x LED BAR-252 RGB

Carrying case, PRO version

- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding

Logistic

- Aluminum profile frames 30mm with rounded edges
- Rugged carrying handle
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

| | |
|---------|----------|
| Weight: | 19.90 kg |
|---------|----------|

EUROLITE LED BAR-252 RGBA 10mm 20°

| | |
|---------------|-----------------|
| Power supply: | 230 V AC, 50 Hz |
|---------------|-----------------|

| | |
|--------------------|---------|
| Power consumption: | 24.00 W |
|--------------------|---------|

| | |
|------------|----------|
| Lamp type: | LED lamp |
|------------|----------|

| | |
|---------------|------|
| DMX channels: | 6; 4 |
|---------------|------|

| | |
|----------|------------------|
| Control: | Stand-alone; DMX |
|----------|------------------|

| | |
|-------------------------|-----------------------------|
| Fixtures available for: | Light J; LED PC-Control 512 |
|-------------------------|-----------------------------|

| | |
|------------------------|-----|
| Beam angle (1/2 peak): | 20° |
|------------------------|-----|

| | |
|----------------|-------|
| Housing color: | Black |
|----------------|-------|

| | |
|-------------|-------------------------------------------------|
| Dimensions: | Length: 108 cm Depth: 6.5 cm Height: 9 cm |
|-------------|-------------------------------------------------|

| | |
|---------|---------|
| Weight: | 2.65 kg |
|---------|---------|

| | |
|---------------|---------------------|
| DMX channels: | max. 19: 4 / 6 / 19 |
|---------------|---------------------|

| | |
|-----------------|-----------|
| DMX connection: | 3-pin XLR |
|-----------------|-----------|

| | |
|----------------|-------------------------|
| Sound-control: | via built-in microphone |
|----------------|-------------------------|

| | |
|-----------|-------|
| LED type: | 10 mm |
|-----------|-------|

| | |
|-------------|-----|
| LED number: | 252 |
|-------------|-----|

| | |
|-------------|-----|
| Beam angle: | 20° |
|-------------|-----|

| | |
|-------------------------|-------------------|
| Dimensions (L x W x H): | 1075 x 65 x 90 mm |
|-------------------------|-------------------|

| | |
|------------------|----------------------------------------------|
| Special product: | Not designed for household room illumination |
|------------------|----------------------------------------------|

| | |
|---------------|----------------------|
| Intended use: | Show effect lighting |
|---------------|----------------------|

ROADINGER Flightcase 4x LED BAR-252 RGB

| | |
|---------------|-------|
| Maximum load: | 25 kg |
|---------------|-------|

| | |
|--------------------------|-------|
| Aluminum profile frames: | 30 mm |
|--------------------------|-------|

| | |
|------------------|----------|
| Carrying handle: | 1 pc/pcs |
|------------------|----------|

| | |
|-------------|----------|
| Stop hinge: | 2 pc/pcs |
|-------------|----------|

| | |
|-------|--------------------------|
| Lock: | Butterfly lock: 2 pc/pcs |
|-------|--------------------------|

| | |
|----------------|------------------|
| Use of brands: | Branded hardware |
|----------------|------------------|

| | |
|-----------|-----------------------|
| Material: | Birch multiplex, 7 mm |
|-----------|-----------------------|

| | |
|---------------------|------------------------------------------------------|
| Color: | Dark brown, laminated |
| Inside dimensions: | 106.5 cm x 44 cm x 7.5 cm |
| Device compartment: | 106.5 cm x 6.5 cm x 7.5 cm |
| Dimensions: | Width: 114.5 cm Depth: 47.5 cm Height: 14.5 cm |
| Weight: | 9.30 kg |

Scope of delivery:
