



The article is no longer in our assortment.

Features:

EUROLITE LED BAR-252 RGBA 10mm 40°

Versatile LED-RGBA color changer

- Operable in stand-alone mode or via DMX
- DMX512 control possible via any commercial DMX controller (occupies max.19 channels)
- 4, 6 or 19 DMX channels selectable for numerous applications
- Sound-control via built-in microphone
- Comfortable addressing and setting via control panel with LCD display and four operating buttons
- Functions: Static colors, RGBA color blend, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Equipped with 252 x 10 mm LEDs
- Locking possibility at the mounting bracket
- Ready for connection with power cord and safety plug
- Available in 2 LED beam angles: 20° or 40°
- Advantages of high-power LED technology: extreme light output, long life, low power consumption, defacto maintenance free with brilliant light radiation
- Strobe effect
- Control via stand-alone; DMX
- Preprogrammed in Light´J; LED PC-Control 512

Logistic

ROADINGER Flightcase 4x LED BAR-252 RGB

Carrying case, PRO version

- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding

- Aluminum profile frames 30mm with rounded edges
- Rugged carrying handle
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight: 19,70 kg

EUROLITE LED BAR-252 RGBA 10mm 40°

Power supply: 230 V AC, 50 Hz

Power consumption: 24 W

IP classification: IP20

Lamp type: LED lamp

DMX channels: 6; 4

Control: Stand-alone; DMX

Preprogrammed in: Light J; LED PC-Control 512

Beam angle (1/2 peak): 40°

Housing color: Black

Dimensions: Length: 1,08 m
Depth: 6,5 cm
Height: 9 cm

Weight: 2,60 kg

DMX channels: max. 19: 4 / 6 / 19

DMX connection: 3-pin XLR

Sound-control: via built-in microphone

LED type: 10 mm

LED number: 252

Beam angle: 40°

Dimensions (L x W x H): 1075 x 65 x 90 mm

Legal specifications

Special product: Not designed for household room illumination

Intended use: Show effect lighting

ROADINGER Flightcase 4x LED BAR-252 RGB

Maximum load: 25 kg

Aluminum profile frames: 30 mm

Carrying handle: 1 pc/pcs

Stop hinge: 2 pc/pcs

Lock: Butterfly lock: 2 pc/pcs

Use of brands:	Branded hardware
Material:	Birch multiplex, 7 mm
Color:	Dark brown, laminated
Inside dimensions:	1,065 m x 44 cm x 7,5 cm
Device compartment:	1,065 m x 6,5 cm x 7,5 cm
Dimensions:	Width: 1,145 m Depth: 47,5 cm Height: 14,5 cm
Weight:	9,30 kg