



The article is no longer in our assortment.

Features:**OMNITRONIC WMR-1M UHF-Receiver, mono**

Wireless mono audio transmission system, 823-832 MHz

- Wireless audio transmission system with UHF PLL technology
- For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
- Duplex gap 823-832 MHz
- Compatible with MOM-10BT4 system
- Parallel use of up to 4 transmitters possible
- 16 channels selectable
- Audio line output and earphone connection via 3.5 mm jack
- Volume control
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU (please check on a country-by-country basis)
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Package contents

- 1 x receiver, 1 x jack cable, 1 x uSB cable, 2 x battery, 1 x user manual, 1 x declaration of conformity

Logistic**OMNITRONIC SHP-i3 Stereo Headphones black**

Sleek stereo headphones with hands-free calling and track selection

- Closed dynamic stereo headphones
- Elegant look thanks to glass inserts
- Powerful bass-driven stereo sound
- 40 mm driver
- Integrated hands-free calling and microphone for iPhones and other standard smartphones
- Easy one-button control lets you take calls and pause and play music
- Next track/previous track selection
- Optimal wearer-comfort due to single cable (L)
- Well-padded, adjustable headband
- Space-saving design with collapsible, rotating (180°) earcups
- Detachable, textile-braided connection cable with gold-plated 3.5 mm stereo jack
- Various colors available

Technical specifications:

Weight: 480 g

OMNITRONIC WMR-1M UHF-Receiver, mono

Power supply:	5 V DC 3 V DC
Power connection:	Mains input via micro USB (F) mounting version included Battery/battery pack
Battery:	2 x Mignon (AA) included
S/N ratio:	>80 dB
Range:	Range up to 50m
Frequency band:	UHF 823 - 832 MHz
Frequency stability:	± 0,01 %
Modulation:	FM
Frequency selection:	16 Switchable frequencies
Pilot frequency:	32,768 khz
Connector type:	3.5 mm jack (mono) mounting version
Control elements:	Level control, power switch, frequency selector switch
Status LED:	Signal, power
Connections:	Output: line via 1 x 3.5 mm jack (mono) mounting version 1 V Output: headphones via 1 x 3.5 mm jack (stereo) mounting version
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Width: 6,7 cm Depth: 3,0 cm Height: 11,2 cm
Weight:	210 g

OMNITRONIC SHP-i3 Stereo Headphones black

Frequency range:	20 - 20000 Hz
Max. SPL:	110 dB
Rated power:	100 mW
Connector type:	6.3 mm jack (stereo); 3.5 mm jack (stereo)
Transducer type:	Dynamic
Type (Headphones):	Closed
Weight:	270 g
Transducer type:	Dynamic
Speaker:	40 mm
Rated power:	100 mW
Sensitivity:	110 dB
Cable length:	150 cm
Connection:	3.5 mm stereo jack plug