

## EUROLITE Set 4x AKKU UP-1 + SB-4 Soft Bag

4x LED Uplight with 15 W 4in1 LED including black soft bag

Art. No.: 20000268

GTIN:



**List price: 1129.31 €**

incl. 19% VAT.

### Features:

#### EUROLITE AKKU UP-1 QCL Flex Spot QuickDMX

LED Uplight with 15 W 4in1 LED, tiltable head and QuickDMX transceiver

- Integrated QuickDMX transceiver for wireless DMX control
- Inclination angle of the LED head manually adjustable
- Interchangeable front lens for 9° or 15° beam angle
- Battery operation up to 18h depending on program used
- 1 powerful LED 15 W high-power 4in1 QCL RGBW (homogenous color mix)
- The device is cooled by passive convection cooling
- Control via DMX; stand-alone; QuickDMX; Sound to light via Microphone; IR remote control
- Flicker-free
- With a beam angle of 9°
- For application areas such as: Mobile djs / entertainer; Wedding/gala/events; mobile use; small rental
- Dimmer speed (step response) adjustable; colors preset; color blend stepless; color change adjustable; Dimmer electronic
- Strobe effect
- Preprogrammed in Light´J; LED PC-Control 512; Light Captain; EASY SHOW 1; EASY SHOW 2; EASY SHOW 3
- Cordless, flexible and versatile
- Integrated automatic charging of the battery and status indicator
- Silent operation
- Application possibility: Standing

#### Package contents

- 1 x spotlight, 1 x external mains adapter, 1 x remote control, 2 x battery, 1 x lens, 1 x omega bracket, 1 x user manual, 1 x power cord

### Logistic

## EUROLITE SB-4 Soft Bag L

Black soft bag for up to 4 devices, 320 x 320 x 200 mm

- Practical transport bag offers enough space for several lighting effects and accessories
- With Dividers
- With 2 Outside pockets
- With 4 Device compartments
- High-quality workmanship with nylon , black, water repellent
- Interior with foam padding<BR>cover with foam padding
- 2 carrying straps

### Package contents

- 1 x bag

## Technical specifications:

---

Weight: 9,36 kg

---

## EUROLITE AKKU UP-1 QCL Flex Spot QuickDMX

Power consumption: 15 W

---

IP classification: IP20

---

Protection class: Protection class III

---

Power connection: Battery/battery pack  
Mains input via Coaxial power connector (M)  
mounting version power supply cord with Euro  
plug (provided)

---

Battery pack type: 1 x lithium ion 7,4 V, 8800 mAh, 65,12 Wh

---

Battery pack: Battery operation up to 18h depending on  
program used  
Recharging time 6h

---

Lamp type: LED lamp

---

LED: 1 x 15 W high-power 4in1 QCL RGBW  
(homogenous color mix)

---

DMX channels: 3; 4; 6; 8; 10

---

DMX input: 1 x 3-pin XLR (M) mounting version

---

DMX output: 1 x 3-pin XLR (F) mounting version

---

Cooling: Passive convection cooling

---

Control: DMX; stand-alone; QuickDMX; Sound to light via  
Microphone; IR remote control

---

Preprogrammed in: Light J; LED PC-Control 512; Light Captain;  
EASY SHOW 1; EASY SHOW 2; EASY SHOW 3

---

Projection: Flicker-free

---

Carrier frequency: 2,4 GHz

---

Beam angle: 9°

---

Beam angle (1/2 peak): 9°  
15°

---

Beam angle (1/10 peak): 18°  
30°

---

Housing color:	Black
Dimensions:	Width: 12 cm Depth: 12 cm Height: 14,2 cm
Weight:	2,21 kg
Noise classification:	Class 0 (no noise at all)
External mains adapter	
Power supply:	100-240 V AC, 50/60 Hz 8,4 V 3 A
Remote control	
Battery:	1 x Button cell 3.0 V CR2032 lithium manganese built-in
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

#### **EUROLITE SB-4 Soft Bag L**

Maximum load:	25 kg
Carrying strap:	2 pc/pcs
Material:	Nylon
Color:	Black, water repellent
Compartment dimensions:	15 cm x 15 cm x 20 cm
Inside dimensions:	31 cm x 34 cm x 20 cm
Dimensions:	Width: 32 cm Depth: 41 cm Height: 20 cm
Weight:	520 g