



**The article is no longer in our assortment.**

---

**Features:****OMNITRONIC DD-2550 USB Turntable sil**

Direct drive DJ turntable with switchable phono/line output and USB interface

- Built-in USB port and additional phono preamplifier, for a high-quality and convenient digitization of analog vinyl records
- Driver installation not required, unit is identified automatically
- Sampling rates of 44.1 kHz and 48 kHz in stereo, resolution: 16 bits
- Incl. software for recording and editing
- Precision direct drive
- Delivery includes pick-up system
- 2 speeds, pitch control  $\pm 10\%$
- Large start/stop button
- Strobe lamp for exact speed adjustment
- Target lamp
- Delivery includes removable dustcover
- Adjustable anti-skating
- Shock-absorbing feet
- Switchable output phono/line
- USB 1.1 support
- Suitable for Windows XP, Vista, 7 and Mac OS X
- Pitch range:  $\pm 10\%$
- The device can be connected via USB to the PC

**Package contents**

- 1 x turntable platter

---

**Logistic**

## ROADINGER Turntable Case black -S-

### Carrying case

- Suitable for all turntables without dust cover (up to 450 mm width)
- High-quality workmanship with plywood multi-layer glued 4 mm, black, laminated
- Interior with foam padding<BR>cover with foam padding
- Removable cover
- Aluminum profile frames 25mm with rounded edges
- Rugged carrying handle
- 2 high-quality spring locks
- Rubber feet
- For further information about this product, please refer to the Data Sheet under "Downloads"

## Technical specifications:

---

Weight: 15,50 kg

---

### OMNITRONIC DD-2550 USB Turntable sil

Power supply: 100-240 V AC, 50/60 Hz

---

Power consumption: 12,00 W

---

Power connection: Fixed power supply cord with Euro plug

---

Frequency range: 20 - 20000 Hz

---

Drive type: Direct drive  
Brushless DC motor

---

Drive: Initial torque: 1 kg/cm  
Start time: 1 sec.  
Stop time: 1 sec.  
Speed change time: <1s 1khz 5cm/sec

---

Wow and flutter: <0,15 % WRMS

---

Rumble: 55 dB DIN B

---

Speed: 33 RPM; 45 RPM

---

Tone arm: S-shape with Cardan"s suspension  
Length: 230  
Overhang: 16 mm  
Stylus pressure: 0-4 g, adjustable

---

Output level: Phono 1,5-3,6 mV/ 1 kHz 5 cm/sec  
Line 90-216 mV/ 1 kHz 5 cm/sec

---

Connections: Output: line/phono via stereo RCA  
Output: USB B (F) mounting version

---

Pitch range:  $\pm 10\%$

---

USB port: USB 1.1, Typ B

---

Color: Silver

---

PC connect: Via USB

---

Dimensions: Width: 45 cm  
Depth: 35 cm  
Height: 15,5 cm

---

Weight: 11,30 kg

---

Turntable platter

---

Dimensions:	Diameter: Ø 33 cm
-------------	-------------------

---

**ROADINGER Turntable Case black -S-**

---

Maximum load:	15 kg
---------------	-------

---

Removable covers:	1 pc/pcs
-------------------	----------

---

Aluminum profile frames:	25 mm
--------------------------	-------

---

Carrying handle:	1 pc/pcs
------------------	----------

---

Lock:	Spring lock: 2 pc/pcs
-------	-----------------------

---

Transport aid:	Rubber feet
----------------	-------------

---

Material:	Plywood multi-layer glued, 4 mm
-----------	---------------------------------

---

Color:	Black, laminated
--------	------------------

---

Device compartment:	45 cm x 35,5 cm x 12 cm
---------------------	-------------------------

---

Dimensions:	Width: 51,5 cm
	Depth: 46 cm
	Height: 21,5 cm

---

Weight:	4,20 kg
---------	---------

---