

EUROLITE Set 4x LED SLS-9 Hybrid HCL + Soft Bag

4x flat spotlight with strobe and UV effects, including IR remote control and soft bag

Art. No.: 2000352

GTIN:



The article is no longer in our assortment.

Features:

EUROLITE LED SLS-9 Hybrid HCL

Flat spotlight with strobe and UV effects, incl. IR remote control

- Powerful hybrid effect - spot, strobe and UV effect in one device
- Flat version requires minimal space when mounting
- 24 powerful LEDs SMD 5050 cold white (CW) (homogenous color mix)
- 1 powerful LED 15 W COB (chip-on-board) 4in1 QCL RGBW (homogenous color mix)
- 9 powerful LEDs 10 W high-power 6in1 HCL RGBWA/UV (homogenous color mix)
- Strobe effect; UV effect
- Control via stand-alone; DMX; Sound to light via Microphone; Master/slave function
- Flicker-free
- With a beam angle of 16°
- With double bracket
- Color macros adjustable; colors preset; program selection; color blend stepless; Dimmer electronic
- Preprogrammed in LED PC-Control 512; Light Captain; Light J
- Mains input and output for power linking up to 8 units

Package contents

- 1 x remote control

EUROLITE SB-18 Soft Bag

Practical soft bag for 4 PRO Pixel Slim PAR-12/ SLS-400

- Made of easy-care nylon
- With Outside pocket
- With Dividers

Logistic

- With 5 Device compartments
- High-quality workmanship with textile , black
- Interior with foam padding
- 2 carrying straps

Technical specifications:

Weight: 9,00 kg

EUROLITE LED SLS-9 Hybrid HCL

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	70 W
IP classification:	IP20
Power connection:	Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Power output:	1 x IEC connector (F) mounting version
Lamp type:	LED lamp
LED:	24 x SMD 5050 cold white (CW) (homogenous color mix) 1 x 15 W COB (chip-on-board) 4in1 QCL RGBW (homogenous color mix) 9 x 10 W high-power 6in1 HCL RGBWA/UV (homogenous color mix)
Flash rate:	0 - 20 Hz
DMX channels:	2; 6; 14; 26
DMX input:	1 x 3-pin XLR (M) mounting version
DMX output:	1 x 3-pin XLR (F) mounting version
Control:	Stand-alone; DMX; Sound to light via Microphone; Master/slave function
Preprogrammed in:	LED PC-Control 512; Light Captain; Light´J
Projection:	Flicker-free
Beam angle:	16°
Beam angle (1/2 peak):	16° 28°
Beam angle (1/10 peak):	39° 54°
Housing color:	Black
Attachment system:	Double bracket
Dimensions:	Width: 28 cm Depth: 12,2 cm Height: 28,6 cm
Weight:	2,10 kg
Photobiological safety:	Risk Group 0
Remote control	

Battery: 1 x Button cell 3.0 V CR2025 lithium manganese built-in

Legal specifications

Special product: Not designed for household room illumination

Intended use: Show effect lighting

EUROLITE SB-18 Soft Bag

Maximum load: 25 kg

Carrying strap: 2 pc/pcs

Material: Textile

Color: Black

Dimensions: Width: 47 cm
Depth: 24 cm
Height: 30 cm

Weight: 600 g
