

EUROLITE Set 2x LED THA-100F Theater-Spot + Case

2x Fresnel spot, 100 W warm white LED, extremely quiet, DMX including PRO flightcase

Art. No.: 2000360

GTIN:



The article is no longer in our assortment.

Features:

EUROLITE LED THA-100F Theatre-Spot

Fresnel spotlight (fresnel lens), 100 W warm white LED, extremely quiet, DMX

- Light impression of a conventional 750 W lamp
- 1 powerful LED 100 W COB (chip-on-board) warm white (WW)
- Zoom manual
- Strobe effect
- The device is cooled by temperature-controlled fan
- Control via DMX
- Flicker-free
- With a beam angle of 10° - 60°
- With Mounting bracket
- LCD display
- Dimmer electronic; dimmer curves adjustable; Dimmer speed (step response) adjustable
- Preprogrammed in LED PC-Control 512; Light J; Light Captain
- Mains input and output for power linking up to 8 units

Package contents

- 1 x spotlight, 1 x user manual, 1 x power cord, 1 x filter frame

Logistic

ROADINGER Flightcase 2x LED THA-100F/THA-120PC

Trunk case, PRO version

- With accessory compartment
- With 2 Device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding

- Aluminum profile frames 25mm with rounded edges
- 2 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight: 26,20 kg

EUROLITE LED THA-100F Theatre-Spot

| | |
|-------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 120 W |
| IP classification: | IP20 |
| Power connection: | Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided) |
| Power output: | 1 x PowerCON (gray) |
| Lamp type: | LED lamp |
| LED: | 1 x 100 W COB (chip-on-board) warm white (WW) |
| Color temperature: | 3200K |
| Equipment: | Zoom manual |
| DMX channels: | 1; 3 |
| Cooling: | Temperature-controlled fan |
| Control: | DMX |
| Preprogrammed in: | LED PC-Control 512; Light'J; Light Captain |
| Projection: | Flicker-free |
| Beam angle: | 10° - 60° |
| Beam angle (1/2 peak): | 10 - 50° |
| Beam angle (1/10 peak): | 12 - 60° |
| Housing color: | Black |
| Attachment system: | Mounting bracket |
| Display type: | LCD display |
| Dimensions: | Length: 37 cm Width: 33,5 cm Height: 26,5 cm |
| Weight: | 6,30 kg |
| Noise classification: | Class 2 (slight noise) |
| Legal specifications | |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

ROADINGER Flightcase 2x LED THA-100F/THA-120PC

| | |
|--------------------------|---|
| Aluminum profile frames: | 25 mm |
| Case handle: | 2 pc/pcs |
| Stop hinge: | 2 pc/pcs |
| Lock: | Butterfly lock: 2 pc/pcs |
| Use of brands: | Branded hardware |
| Material: | Birch multiplex, 7 mm |
| Color: | Dark brown, laminated |
| Accessory compartment: | 10 cm x 33 cm x 42 cm |
| Compartment dimensions: | 28,5 cm x 33 cm x 42 cm |
| Inside dimensions: | 72 cm x 33 cm x 42 cm |
| Dimensions: | Width: 76 cm Depth: 37 cm Height: 53 cm |
| Weight: | 13,60 kg |