



The article is no longer in our assortment.

Features:

EUROLITE TMH XB-130 Moving-Head-Beam

Bright, extremely narrow beam with Osram Sirius HRI 132 W lamp

- 11 or 14 DMX channels selectable
- Very narrow beam angle of 1°
- Effect wheel with rotating 8-facet prism
- The prism rotates in both directions and at different speeds
- Motorized focus
- Strobe effect with adjustable speed
- Random strobe effect
- Frost filter
- Dimmer
- Exact positioning via 16 bit PAN/TILT movement resolution
- Automatic position correction
- Switch-mode power supply for operation between 100 and 240 Volts
- Control board with LED display for adjusting the DMX-starting address, PAN/TILT reverse, reset, lamp on/off
- PAN-angle switchable between 630° and 540°
- DMX-controlled operation or stand-alone operation with master/slave function
- Software upload by optional accessory via DMX link
- Sound-controlled via built-in microphone
- With Osram Sirius HRI 132 W lamp
- Ready for connection via included IEC power cord with safety power plug
- Feed-through output allows to power up to 8 devices
- DMX-control via any standard DMX-controller
- PAN angle switchable between 540° and 630°
- Auto position correction (feedback)

Logistic

- Exact positioning (16 bit resolution)
- Gobo wheel with static gobos; Prism 8-fold; frost filter; Focus motor-driven
- Beam effect
- Color wheel with 14 dichroic filters plus open
Rainbow effect with adjustable speed in both directions
- Gobo wheel with static gobos, 17 gobos and open
shake effect
- The device is cooled by temperature-controlled fan
- Control via stand-alone; Sound to light via Microphone
- Preprogrammed in LED PC-Control 512; Light Captain; Light J
- With a beam angle of 1°
- OSRAM bulb included

Package contents

- 1 x omega bracket

ROADINGER Flightcase 4x PLB-130/DMH-80/TMH XB-130

PRO flightcase for 4 x PLB-130

- With 4 Device compartments
- With accessory compartment
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
cover with foam padding
- Aluminum profile frames 25mm with rounded edges
- 4 hinged, chromium plated case handles
- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- 4 castors with 2 locking brakes
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

EUROLITE TMH XB-130 Moving-Head-Beam

| | |
|---------------------|--|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 170 W |
| IP classification: | IP20 |
| Power connection: | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided) |
| Power output: | 1 x IEC connector (F) mounting version |
| Lamp type: | Discharge lamp |
| Max. TILT movement: | 270° Exact positioning (16 bit resolution) Auto position correction (feedback) |
| Max. PAN movement: | 540°, 630° Exact positioning (16 bit resolution) Auto position correction (feedback) |
| Flash rate: | 0 - 20 Hz |
| Equipment: | Gobo wheel with static gobos; Prism 8-fold; frost filter; Focus motor-driven |
| Color generation: | Color wheel with 14 dichroic filters plus open Rainbow effect with adjustable speed in both directions |
| Gobos: | Gobo wheel with static gobos, 17 gobos and open Shake effect |
| DMX channels: | 11; 14 |
| DMX input: | 1 x 3-pin XLR (M) mounting version |

| | |
|------------------------|---|
| DMX output: | 1 x 3-pin XLR (F) mounting version |
| Cooling: | Temperature-controlled fan |
| Control: | Stand-alone; Sound to light via Microphone |
| Preprogrammed in: | LED PC-Control 512; Light Captain; Light´J |
| Beam angle: | 1° |
| Beam angle (1/2 peak): | 1° |
| Housing color: | Black |
| Use of brands: | OSRAM bulb included |
| Dimensions: | Width: 29 cm Depth: 26 cm Height: 40 cm |
| Weight: | 10,65 kg |

ROADINGER Flightcase 4x PLB-130/DMH-80/TMH XB-130

| | |
|--------------------------|---|
| Maximum load: | 100 kg |
| Aluminum profile frames: | 25 mm |
| Case handle: | 4 pc/pcs |
| Stop hinge: | 2 pc/pcs |
| Lock: | Butterfly lock: 2 pc/pcs |
| Transport aid: | 4 x castors with 2 locking brakes |
| Use of brands: | Branded hardware |
| Material: | Birch multiplex, 7 mm |
| Color: | Dark brown, laminated |
| Accessory compartment: | 10 cm x 45 cm x 38,5 cm |
| Inside dimensions: | 77 cm x 45 cm x 40,5 cm |
| Device compartment: | 31,5 cm x 21,5 cm x 38,5 cm |
| Dimensions: | Width: 81 cm Depth: 50 cm Height: 43 cm |
| Weight: | 22,60 kg |