



**The article is no longer in our assortment.**

### Features:

#### EUROLITE LED KLS-200 Compact-Light-Set

Bar with 4 spots with 108 LEDs (RGB) each and carrying bag

- Complete LED light set with four slimline LED spots
- Crossbar with integrated DMX control unit
- Installation via TV pin for tripods with 28 mm interior diameter
- Ultra-light ideally suited for mobile use
- Comes pre-assembled with practical transport bag
- 108 x 10 mm LED per spot (36 x red, 36 x green, 36 x blue)
- Movable and tiltable spotlights
- DMX-controlled operation or stand-alone operation with processor-controlled color change
- Master/Slave operation
- Sound-control via built-in microphone with sensitivity control
- Convenient control possible via optional 4-pedal foot pedal FP-1 (preset, sound control, freeze, blackout)
- DMX512 control via regular DMX controller (occupies 15 channels)
- Optimized for control with the optional control panel DMX LED Operator 4
- Via DMX, each spot can be individually controlled
- DMX functions: dimmer, automatic mode, music control, strobe effect
- Addressing and setting via control panel with 4-digit LED display
- Suited for installation on a lighting stand (not included)
- Ideal for bands, stages or solo entertainers
- Ready for connection with power cord and safety plug
- 432 powerful LEDs 10 mm R/G/B-<BR> spots controlled separately
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; Foot switch (optional)

### Logistic

- Preprogrammed in Light J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3
- With a beam angle of 25°
- For further information about this product, please refer to the Data Sheet under "Downloads"

**Package contents**

- 1 x spotlight, 1 x bag

**EUROLITE STV-50-WOT EU Steel stand**

Lighting stand, made in EU, maximum load 30 kg, height 150-315 cm

- Stable lighting stand for mobile use
- Adjustable height
- TV spigot
- Made in Europe

**Package contents**

- 1 x user manual

**Technical specifications:**

---

Weight: 14,15 kg

---

**EUROLITE LED KLS-200 Compact-Light-Set**

Power supply: 230 V AC, 50 Hz

---

Power consumption: 55 W

---

IP classification: IP20

---

Power connection: Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)

---

Lamp type: LED lamp

---

LED: 432 x 10 mm R/G/B

---

DMX channels: 15

---

Cooling: Passive convection cooling

---

Control: Stand-alone; DMX; Foot switch (optional)

---

Preprogrammed in: Light J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3

---

Beam angle: 25°

---

Beam angle (1/2 peak): 25°

---

Housing color: Black

---

Weight: 8,65 kg

---

**Bag**

---

Dimensions: Width: 1,2 m  
Depth: 12 cm  
Height: 38 cm

---

DMX connection: 3-pin XLR

---

TV spigot: D = 28 mm

---

Dimensions (L x W x H): 1110 x 55 x 295 mm

---

**Legal specifications**

---

Special product: Not designed for household room illumination

---

Intended use: Show effect lighting

---

**EUROLITE STV-50-WOT EU Steel stand**

Maximum carrying capacity:	30 kg
Height:	Maximum: 315 cm Minimum: 150 cm
Attachment system:	TV spigot Ø 28mm (short)
Type (general stands):	Light stand/manual
Material:	Steel (powder-coated); Steel/magnesium
Color:	Black
Weight:	5,50 kg