


## EUROLITE Set AKKU 2x Flat light 3 bk + Bar-6 + Stands

DJ stand with 3 spotlights and speaker stands including white tripod covers

Art. No.: 20000520

GTIN:



**List price: 1486.31 €**

incl. 19% VAT.

### Features:

#### EUROLITE AKKU Flat Light 3 bk

Flat spotlight with 3 x 8 W RGBW LED, QuickDMX transceiver and bracket

- Integrated QuickDMX transceiver for wireless DMX control
- Elegant housing for indoor use
- Cordless, flexible and versatile
- Battery operation up to 16h depending on program used
- Integrated automatic charging of the battery and status indicator
- 3 powerful LEDs 8 W SMD 9080 4in1 QCL RGBW (homogenous color mix)
- Dimmer electronic; color change adjustable; color fade adjustable; Dimmer speed (step response) adjustable
- Strobe effect
- Direct color selection for 30 preset colors
- The device is cooled by passive convection cooling
- Control via stand-alone; QuickDMX; IR remote control; sound to light via microphone
- Preprogrammed in Light´J; EASY SHOW 1; LED EASY OPERATOR 4x4; LED EASY OPERATOR 4x6; LED EASY OPERATOR DELUXE; Light Captain; EASY SHOW 2; EASY SHOW 3; Colorchief
- Flicker-free
- With a beam angle of 12°
- With mounting bracket
- OLED display
- Various versions available
- With a KENSINGTON LOCK theft protection
- For application areas such as: Small rental; wedding/gala/events; mobile djs / entertainer; Meditation & Relaxation
- Application possibility: Standing

### Logistic

- Silent operation

**Package contents**

- 1 x spotlight, 1 x user manual, 1 x external mains adapter, 1 x remote control, 1 x battery, 1 x declaration of conformity

**EUROLITE AKKU Bar-6 Glow QCL Flex QuickDMX**

Tilttable battery-powered LED bar and mood light with 4in1 LEDs and QuickDMX

- 100° tilttable bar with 6 high-power 8 W RGBW LEDs (4in1) and removable frost filter
- Mood light with milky front screen provides a pleasantly soft light with 30 SMD RGBW LEDs (4in1)
- Integrated QuickDMX transceiver for wireless DMX control
- Cordless, flexible and versatile
- Battery operation up to 13h depending on program used
- Integrated automatic charging of the battery and status indicator
- 30 powerful LEDs 0,25 W SMD 5050 4in1 QCL RGBW (homogenous color mix)
- 6 powerful LEDs 8 W SMD 9080 4in1 QCL RGBW (homogenous color mix)
- Color blend stepless; color change adjustable; color fade adjustable; Dimmer electronic; Dimmer speed (step response) adjustable
- Strobe effect
- Integrated show programs
- Direct color selection for 30 preset colors
- The device is cooled by passive convection cooling
- Control via stand-alone; DMX; QuickDMX; IR remote control; sound to light via microphone; master/slave function
- Preprogrammed in LED PC-Control 512; Light Captain; EASY SHOW 1; EASY SHOW 2; EASY SHOW 3; Colorchief
- Flicker-free
- With a beam angle of 15°
- Multicolor LCD display
- With a KENSINGTON LOCK theft protection
- For application areas such as: Wedding/gala/events; mobile use; mobile djs / entertainer; small rental
- Silent operation
- Application possibility: Standing; suspended; on stand

**Package contents**

- 1 x device, 1 x user manual, 1 x power cord, 1 x frost filter, 1 x remote control, 1 x battery, 1 x omega bracket, 4 x knurled screw, 4 x washer, 1 x declaration of conformity

**OMNITRONIC Speaker Stand MOVE MK2 set**

2 speaker stands, extendible up to 183 cm, maximum load 30 kg + carrying bag

- Height adjustable, with locking pin
- Tube diameter: Ø 35 mm
- Adjustable height

**Package contents**

- 1 x bag

**EUROPALMS Tripod Cover white two sided**

Cover for lighting stands

- Best suited for reproducing light projections
- Extremely stretchable cloth
- Easy installation

**Package contents**

- 1 x textile cover

**OMNITRONIC Mobile DJ Stand w. Cover**

Portable DJ table with screen for mobile applications

- Collapsible panels for easy storage and transport
- Ideal to conceal DJ equipment and cable clutter
- Translucent stretch fabric - can be backlit with any lighting effect
- 2 shelves with black felt cover for DJ equipment

- Fast assembly without any tools
- Solid, steel tube construction with hinges
- Removable cloth for convenient cleaning
- Washable (needs to be treated with flame retardant spray afterwards)
- B1 low flammability
- For application areas such as: Mobile djs / entertainer
- For further information about this product, please refer to the Data Sheet under "Downloads"

#### Package contents

- 1 x stand, 1 x textile cover, 1 x bag

## Technical specifications:

Weight: 30,78 kg

### EUROLITE AKKU Flat Light 3 bk

|                         |  |
|-------------------------|--|
| Power supply:           | 100-240 V AC, 50/60 Hz<br>12,6V DC 2500 mA   |
| IP classification:      | IP20   |
| Protection class:       | Protection class III   |
| Power connection:       | Battery/battery pack<br>Mains input via coaxial power connector (M)<br>mounting version power supply cord with Euro<br>plug (provided)                     |
| Battery pack type:      | 2 x lithium ion 11,1 V, 2600 mAh, 28,86 Wh   |
| Battery pack:           | Battery operation up to 16h depending on<br>program used<br>Recharging time 4h   |
| Lamp type:              | LED lamp   |
| LED type:               | 3 x 8 W SMD 9080 4in1 QCL RGBW<br>(homogenous color mix)   |
| DMX channels:           | 3; 4; 6; 8; 10   |
| Cooling:                | Passive convection cooling   |
| Control:                | Stand-alone; QuickDMX; IR remote control;<br>sound to light via microphone   |
| Preprogrammed in:       | Light´J; EASY SHOW 1; LED EASY OPERATOR<br>4x4; LED EASY OPERATOR 4x6; LED EASY<br>OPERATOR DELUXE; Light Captain; EASY<br>SHOW 2; EASY SHOW 3; Colorchief |
| Projection:             | Flicker-free   |
| Carrier frequency:      | 2,4 GHz  |
| Beam angle:             | 12°  |
| Beam angle (1/2 peak):  | 12°  |
| Beam angle (1/10 peak): | 30°  |
| Housing color:          | Black  |
| Attachment system:      | Mounting bracket   |
| Display type:           | OLED display   |
| Theft protection:       | KENSINGTON LOCK  |
| Dimensions:             | Width: 16,8 cm   |

|                       |   |
|-----------------------|---|
|                       | Depth: 13,8 cm<br>Height: 6,2 cm                        |
| Weight:               | 1,62 kg   |
| Noise classification: | Class 0 (no noise at all)                               |
| Remote control        |   |
| Battery:              | 1 x button cell 3.0 V CR2032 lithium manganese built-in |
| Legal specifications  |   |
| Special product:      | Not designed for household room illumination            |
| Intended use:         | Show effect lighting                                    |

#### **EUROLITE AKKU Bar-6 Glow QCL Flex QuickDMX**

|                         |  |
|-------------------------|--|
| Power supply:           | 100-240 V AC, 50/60 Hz   |
| IP classification:      | IP20   |
| Protection class:       | Protection class I   |
| Power connection:       | Battery/battery pack<br>Mains input via P-Con (blue), mounting version<br>power supply cord with safety plug (provided)  |
| Battery pack type:      | 1 x lithium ion 11,1 V, 10400 mAh, 115,44 Wh   |
| Battery pack:           | Battery operation up to 13h depending on<br>program used<br>Recharging time 4h   |
| Lamp type:              | LED lamp   |
| LED type:               | 30 x 0,25 W SMD 5050 4in1 QCL RGBW<br>(homogenous color mix)<br>6 x 8 W SMD 9080 4in1 QCL RGBW<br>(homogenous color mix) |
| DMX channels:           | 3; 7; 8; 9; 11   |
| DMX input:              | 3-pin XLR (M) mounting version   |
| DMX output:             | 3-pin XLR (F) mounting version   |
| Cooling:                | Passive convection cooling   |
| Control:                | Stand-alone; DMX; QuickDMX; IR remote control;<br>sound to light via microphone; master/slave<br>function                |
| Preprogrammed in:       | LED PC-Control 512; Light Captain; EASY<br>SHOW 1; EASY SHOW 2; EASY SHOW 3;<br>Colorchief                               |
| Projection:             | Flicker-free   |
| Carrier frequency:      | 2,4 GHz  |
| Beam angle:             | 15°  |
| Beam angle (1/2 peak):  | 15°  |
| Beam angle (1/10 peak): | 30°  |
| Housing color:          | Black  |
| Display type:           | Multicolor LCD display   |
| Theft protection:       | KENSINGTON LOCK  |
| Dimensions:             | Length: 41,1 cm<br>Depth: 9,5 cm   |

|                       |   |
|-----------------------|---|
|                       | Height: 10,5 cm   |
| Weight:               | 2,80 kg   |
| Noise classification: | Class 0 (no noise at all)                               |
| Remote control        |   |
| Battery:              | 1 x button cell 3.0 V CR2032 lithium manganese built-in |
| Legal specifications  |   |
| Special product:      | Not designed for household room illumination            |
| Intended use:         | Show effect lighting                                    |

#### OMNITRONIC Speaker Stand MOVE MK2 set

|                            |                                    |
|----------------------------|------------------------------------|
| Maximum carrying capacity: | 30 kg                              |
| Tube diameter sector:      | 35                                 |
| Height:                    | Maximum: 183 cm<br>Minimum: 100 cm |
| Attachment system:         | Ø 35mm                             |
| Type (general stands):     | Speaker stand/manual               |
| Material:                  | Steel; steel                       |
| Color:                     | Black                              |
| Weight:                    | 5,10 kg                            |

#### EUROPALMS Tripod Cover white two sided

|                        |                   |
|------------------------|-------------------|
| Setup:                 | Easy installation |
| Type (general stands): | Accessory         |
| Color:                 | White             |
| Weight:                | 0,22 kg           |

#### OMNITRONIC Mobile DJ Stand w. Cover

|                            |   |
|----------------------------|---|
| Maximum carrying capacity: | 50 kg   |
| Transport dimensions:      | 125 cm x 75 cm x 15 cm                          |
| Table console:             | 140 cm x 70 cm x 15 cm                          |
| Dimensions:                | Width: 147 cm<br>Depth: 74 cm<br>Height: 120 cm |
| Weight:                    | 19,20 kg  |
| Stand                      |   |
| Material:                  | Steel   |
| Color:                     | Black   |
| Textile cover              |   |
| Material:                  | Textile   |
| Color:                     | White   |