

## EUROLITE Set LED Strip 3000K 15m Constant Current + Trafo 24V

3x LED strip with CRI >90 including 2x connector and transformer 24V

Art. No.: 20000558

GTIN:



### Features:

- Flexible LED strip for decorative lighting
- Constant current technology for high efficiency, durability and homogeneous light distribution
- Greater lengths do not lead to light fall-off and do not require multiple feeders
- High-grade components and a solid construction guarantee a long service life and excellent color rendering
- Can be cut into segments of variable size
- Self-adhesive rear side
- Supplied on a plastic reel
- Power cable, straight and flexible plug connectors available as accessories
- Dimmable
- 300 LEDs SMD 3528 warm white (WW)
- Control via accessory
- Very high color rendering index (CRI)
- For application areas such as: Trade fair and shop fitting; clubs/dancing school; installation; restaurants, bars and hotels
- Silent operation
- <p>EUROLITE Electr. LED Transformer, 24V, 5A, IP67
- <h2 class="featureSatz">Stabilized LED power supply unit DC 24 V, 5 A</h2>Especially for LED installations
- For indoors and outdoors (IP67)
- Input voltage AC 100-240 V
- Output voltage DC 24 V, 5 A
- Protected against short circuit, overload, overheating and overvoltage
- Noise filter
- Connection via bare cable ends
- L x W x H: 200 x 50 x 36 mm

### Logistic

- 600 g

## Technical specifications:

---

Weight: 0.84 kg

---

### EUROLITE LED Strip 300 5m 3528 3000K 24V Constant Current

Power supply: 24V AC 1000 mA

---

Power consumption: 23 W

---

Protection class: Protection class III

---

Power connection: Fixed supply cord with open wires

---

Lamp type: LED lamp

---

Lamp specification: Dimmable

---

LED type: 300 x SMD 3528 warm white (WW)

---

Control: Accessory

---

Standing/fixation: Self adhesive

---

Color temperature: 3000K

---

Color rendering index (CRI): 91 Ra

---

Lamps/meter: 60 pc/pcs

---

Power/meter: 4.5 W

---

Lamps/tube: 300 pc/pcs

---

Lamp distance: 16 mm

---

Cutting mark: 10 cm

---

Luminous flux (Lumen) per meter: 420 lm/m

---

Housing color: White

---

Dimensions: Length: 500 cm  
Width: 0.8 cm  
Height: 0.2 cm

---

Weight: 0.09 kg

---

Noise classification: Class 0 (no noise at all)

---

Energy efficiency class (A - G): F

---

EPREL-Nr: 1425968

---

### EUROLITE Electr. LED Transformer, 24V, 5A, IP67

Power connection: Fixed supply cord with open wires

---

Power output: 1 x no connector/cable only

---

Dimensions: Width: 5 cm  
Depth: 20 cm  
Height: 3.6 cm

---

Weight: 0.58 kg

---

**EUROLITE LED Strip Connector 2-Pin 8mm**

Material:	Plastic
Color:	Black
Dimensions:	Length: 2 cm Width: 1.2 cm Height: 0.7 cm
Weight:	0.01 kg

**Scope of delivery:****3 x EUROLITE LED Strip 300 5m 3528 3000K 24V Constant Current**

- 1 x device
- 1 x user manual

**1 x EUROLITE Electr. LED Transformer, 24V, 5A, IP67**

- 1 x external mains adapter