

## OMNITRONIC Set MAXX-1508DSP 2.1 Aktiv-System + Speaker stands

Art. No.: 2000588

Active speaker set including speaker stand and swivel castors

GTIN:



**List price: 1165.01 €**

incl. 19% VAT.

### Features:

### Logistic

#### OMNITRONIC MAXX-1508 2-Way Top 2x

2 x 8" passive full-range speaker, 150 W RMS

- 2-way bass-reflex system with 8" bass-midrange speaker and 1" compression driver
- Serve as a mobile 2.1 system together with the MAXX-1508 subwoofer
- With passive 2-way crossover, PTC tweeter protection
- Black metal grille with acoustic foam
- Application possibility: Standing; suspended; monitoring; on stand
- With rigging points
- Rugged carrying handle
- For application areas such as: Mobile use; mobile djs / entertainer; Rental

#### Package contents

- 2 x top, 2 x speaker cable

#### OMNITRONIC MAXX-1508DSP 2.1 Active Subwoofer

Powerful 15" active subwoofer with DSP and Bluetooth, 700 watts

- 15" subwoofer with Class D amplifier in bassreflex cabinet
- Amplifier power: 400 W RMS + 2 x 150 W RMS for two satellites
- Serves as a mobile 2.1 system together with MAXX-1508 2-way tops
- Balanced signal input XLR/6.3 mm jack L/R
- Additional stereo RCA input, with level switch
- Separate volume control for subwoofer and satellites
- Stereo/mono selection
- Digital signal processor
- Control via Bluetooth

- Wheels optional
- Black metal grille with acoustic foam
- Application possibility: Standing
- DSP presets: FLAT; DJ; LIVE
- For application areas such as: Mobile use; mobile djs / entertainer; Rental

**Package contents**

- 1 x bass, 1 x user manual, 1 x power cord, 1 x strap, 1 x declaration of conformity

**OMNITRONIC Speaker Stand MOVE MK2 set**

2 speaker stands, extendible up to 183 cm, maximum load 30 kg + carrying bag

- Height adjustable, with locking pin
- Tube diameter: Ø 35 mm
- Adjustable height

**Package contents**

- 1 x bag

**ROADINGER Swivel Castor 100mm BLUE WHEEL light blue**

100 mm swivel castor

- Double ball race
- Housing made of steel, zinc-plated
- Roller race hub bearing
- Replaceable bolt-on wheel
- Carrying capacity: 450 kg per set (4 castors)
- Made in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

**ROADINGER Swivel Castor 100mm BLUE WHEEL with brake**

100 mm swivel castor

- Double-action brake (wheel and swivel)
- Double ball race
- Housing made of steel, zinc-plated
- Roller race hub bearing
- Replaceable bolt-on wheel
- Carrying capacity: 450 kg per set (4 castors)
- Made in Germany
- For further information about this product, please refer to the Data Sheet under "Downloads"

**Technical specifications:**

---

Weight: 54,83 kg

---

**OMNITRONIC MAXX-1508 2-Way Top 2x**

|                   |  |
|-------------------|--|
| Power:            | Program: 300W<br>Rated: 150W RMS                   |
| Frequency range:  | 120 - 18000 Hz                                     |
| Sensitivity:      | 92 dB  |
| Max. SPL:         | 116 dB   |
| Dispersion angle: | 90° x 60°  |
| Impedance:        | 4 ohms   |
| Flying points:    | 5 x M8 thread                                      |
| Connections:      | Input: speaker via 1 x speaker built-in socket (F) |

|                  |   |
|------------------|---|
| Speaker:         | 1 x woofer 8"<br>1 x compression tweeter highs 1"   |
| Type of speaker: | Compact cabinet speaker                             |
| Carrying handle: | 1 pc/pcs  |
| Material:        | MDF (Medium-density fiberboard), 16 mm              |
| Dimensions:      | Width: 25,5 cm<br>Depth: 24,1 cm<br>Height: 42,1 cm |
| Weight:          | 17,25 kg  |

#### **OMNITRONIC MAXX-1508DSP 2.1 Active Subwoofer**

|                       |  |
|-----------------------|--|
| Power supply:         | 230 V AC, 50 Hz  |
| Power consumption:    | 800 W  |
| Power:                | Rated: 400W RMS LF   |
| Frequency range:      | 35 - 120 Hz Bass   |
| Sensitivity:          | 95 dB  |
| Max. SPL:             | 120 dB   |
| DSP:                  | Digital signal processor   |
| DSP presets:          | FLAT; DJ; LIVE   |
| Control:              | Bluetooth  |
| Attachment system:    | M20 thread   |
| Circuitry:            | Class D  |
| Controls:             | Limiter  |
| Status LED:           | Power, signal, limit, pairing, DSP presets   |
| Connections:          | Input: 1 x stereo RCA<br>Input: line via 2 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version)<br>Output: line via 2 x 3-pin XLR (M) mounting version<br>Output: speaker via 2 x speaker built-in socket (F) |
| Input channels:       | 1 x stereo via XLR or RCA or bluetooth, channel control via Rotary dial  |
| Speaker:              | 1 x woofer 15" with ferrit magnet  |
| Type of speaker:      | Subwoofer  |
| Type of construction: | Vented   |
| Transport aid:        | Wheels optional  |
| Material:             | Birch multiplex, 16 mm; MDF (Medium-density fiberboard)  |
| Color:                | Black, textured coating, painted   |
| Dimensions:           | Width: 45,4 cm<br>Depth: 57 cm<br>Height: 53,4 cm  |
| Weight:               | 29,30 kg   |

#### **OMNITRONIC Speaker Stand MOVE MK2 set**

|                            |                                    |
|----------------------------|------------------------------------|
| Maximum carrying capacity: | 30 kg                              |
| Tube diameter sector:      | 35                                 |
| Height:                    | Maximum: 183 cm<br>Minimum: 100 cm |
| Attachment system:         | Ø 35mm                             |
| Type (general stands):     | Speaker stand/manual               |
| Material:                  | Steel; Steel                       |
| Color:                     | Black                              |
| Weight:                    | 5,10 kg                            |

**ROADINGER Swivel Castor 100mm BLUE WHEEL light blue**

|             |                                      |
|-------------|--------------------------------------|
| Color:      | Light blue                           |
| Dimensions: | Height: 12,8 cm<br>Diameter: Ø 10 cm |
| Weight:     | 660 g                                |

**ROADINGER Swivel Castor 100mm BLUE WHEEL with brake**

|             |                                      |
|-------------|--------------------------------------|
| Color:      | Light blue                           |
| Dimensions: | Height: 12,8 cm<br>Diameter: Ø 10 cm |
| Weight:     | 930 g                                |