

EUROLITE Set 2x LED TMH-X12 + EU Case

2x bright spot with 120 W LED, rotating gobos, color wheel and prism incl. PRO flightcase

Art. No.: 2000641

GTIN:



Features:

- Positioning within
- <p>EUROLITE LED TMH-X12 Moving-Head Spot
- <h2 class="featureSatz">Bright spot with 120 W LED, rotating gobos, color wheel and prism</h2>
- <h2>1 LED 120 W COB (chip-on-board) cold white (CW)
- Positioning within 540° PAN, 270° TILT
- Auto position correction (feedback)
- Exact positioning (16 bit resolution)
- Gobo wheel with rotating gobos; prism 3-fold; focus motor-driven
- Dimmer electronic
- Multi beam effect; gobo effect; strobe effect
- Color wheel with 8 dichroic filters plus open
half colors selectable, Rainbow effect with adjustable speed
- Gobo wheel with rotating gobos, 7 gobos and open
shake effect
- Gobos changeable
- Slot-in gobo system for easy gobo replacement
- Integrated show programs
- The device is cooled by cooling fan
- Control via stand-alone; DMX; sound to light via microphone
- Flicker-free
- With a beam angle of 12°
- LCD display
- Mains input and output for power linking up to 8 units
- For application areas such as: Clubs/dancing school; wedding/gala/events; stage; rental
- Application possibility: Standing; suspended
- <p>ROADINGER Flightcase 2x DMH-90/150/DMB-60/PLB-230
- <h2 class="featureSatz">Trunk case with castors, PRO version</h2>For optimal security

Logistic

- With 2 device compartments
- High-quality workmanship with birch multiplex 7 mm, dark brown, laminated
- Interior with foam padding
- Aluminum profile frames 30mm with rounded edges
- 4 hinged, chromium plated case handles
- 2 high-quality butterfly locks
- 4 x castors with 2 locking brakes
- Branded hardware
- Made in Europe
- For further information about this product, please refer to the Data Sheet under "Downloads"

Technical specifications:

Weight: 52.10 kg

EUROLITE LED TMH-X12 Moving-Head Spot

| | |
|-------------------------|---|
| Power supply: | 100-240 V AC, 50/60 Hz |
| Power consumption: | 170 W |
| Protection class: | Protection class I |
| Power connection: | Mains input via P-Con (blue), mounting version power supply cord with safety plug (provided) |
| Power output: | P-Con (gray), mounting version |
| Fuse: | 5 x 20 mm, T 2 A fuse replaceable |
| Lamp type: | LED lamp |
| LED type: | 1 x 120 W COB (chip-on-board) cold white (CW) |
| Max. TILT movement: | 270° exact positioning (16 bit resolution) auto position correction (feedback) |
| Max. PAN movement: | 540° exact positioning (16 bit resolution) auto position correction (feedback) |
| Flash rate: | 0 - 18 Hz |
| Equipment: | Gobo wheel with rotating gobos; prism 3-fold; focus motor-driven |
| Color generation: | Color wheel with 8 dichroic filters plus open Half colors selectable, Rainbow effect with adjustable speed |
| Gobos: | Gobo wheel with rotating gobos, 7 gobos and open Outside diameter 23.5mm Image diameter 15mm Shake effect Gobos changeable Slot-in gobo system for easy gobo replacement |
| DMX channels: | 13; 15 |
| DMX input: | 1 x 3-pin XLR (M) mounting version |
| DMX output: | 1 x 3-pin XLR (F) mounting version |
| Cooling: | Cooling fan |
| Control: | Stand-alone; DMX; sound to light via microphone |
| Fixtures available for: | Light 'J'; LED PC-Control 512; Light Captain |

| | |
|--------------------------|---|
| Projection: | Flicker-free |
| Beam angle (1/2 peak): | 12° |
| Illuminance in Lux (lx): | Cold white (CW) 3m: 9502 lx, 6m: 2436 lx |
| Housing color: | Black |
| Display type: | LCD display |
| Dimensions: | Width: 33 cm Depth: 32 cm Height: 40 cm |
| Weight: | 11.35 kg |
| Noise classification: | Class 3 (clearly perceptible sounds) |
| Special product: | Not designed for household room illumination |
| Intended use: | Show effect lighting |

ROADINGER Flightcase 2x DMH-90/150/DMB-60/PLB-230

| | |
|--------------------------|---|
| Maximum load: | 100 kg |
| Aluminum profile frames: | 30 mm |
| Case handle: | 4 pc/pcs |
| Lock: | Butterfly lock: 2 pc/pcs |
| Transport aid: | 4 x castors with 2 locking brakes |
| Use of brands: | Branded hardware |
| Material: | Birch multiplex, 7 mm |
| Color: | Dark brown, laminated |
| Device compartment: | 38.5 cm x 22 cm x 38 cm |
| Inside dimensions: | 56 cm x 43 cm x 46.5 cm |
| Middle compartment: | 12 cm x 43 cm x 46.5 cm |
| Dimensions: | Width: 96 cm Depth: 47 cm Height: 72 cm |
| Weight: | 25.90 kg |

Scope of delivery:

1 x moving light
1 x user manual
1 x power cord
2 x omega bracket