

OMNITRONIC Set WMT-1M UHF Transmitter + WMR-1M UHF Receiver

UHF Transmitter including UHF Receiver

Art. No.: 2000667

GTIN: 4026397523249



The article is no longer in our assortment.

Features:

OMNITRONIC WMT-1M UHF Transmitter, mono

Wireless mono audio transmission system, 823-832 MHz

- Wireless audio transmission system with UHF PLL technology
- For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
- Duplex gap 823-832 MHz
- Parallel use of up to 4 transmitters possible
- Compatible with MOM-10BT4 system
- 16 channels selectable
- Audio line input (3.5 mm jack) and microphone input (mini XLR)
- Volume level control
- Operation via 2 batteries or rechargeable batteries size AA
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Package contents

- 1 x receiver, 1 x jack cable, 1 x uSB cable, 2 x battery, 1 x user manual, 1 x declaration of conformity

OMNITRONIC WMR-1M UHF-Receiver, mono

Wireless mono audio transmission system, 823-832 MHz

Logistic

EAN / GTIN: 4026397523249

Weight: 1,00 kg

Length: 0.30 m

Width: 0.22 m

Height: 0.21 m

- Wireless audio transmission system with UHF PLL technology
- For wireless transmission of audio line and microphone signals with one transmitter and one or more receivers
- Duplex gap 823-832 MHz
- Compatible with MOM-10BT4 system
- Parallel use of up to 4 transmitters possible
- 16 channels selectable
- Audio line output and earphone connection via 3.5 mm jack
- Volume control
- Built-in charging function via micro USB port with LED indicator
- Supports operation and simultaneous charging
- Robust metal fixing clip
- Incl. USB charging cable and 3.5 mm audio cable
- License-free and approved in large parts of the EU (please check on a country-by-country basis)
- Operating range up to 50m
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

Package contents

- 1 x receiver, 1 x jack cable, 1 x uSB cable, 2 x battery, 1 x user manual, 1 x declaration of conformity

Technical specifications:

Weight: 410 g

OMNITRONIC WMT-1M UHF Transmitter, mono

Power supply:	5 V DC 3 V DC
Power connection:	Mains input via micro USB (F) mounting version included Battery/battery pack
Battery:	2 x Mignon (AA) included
S/N ratio:	>90 dB
Range:	Range up to 50m
Frequency band:	UHF 823 - 832 MHz
Frequency stability:	± 0,01 %
RF power output:	10 mW
Modulation:	FM
Frequency selection:	16 Switchable frequencies
Pilot frequency:	32,768 khz
Control elements:	Power switch, level control, frequency selector switch
Status LED:	Power
Connections:	Input: Microphone via 1 x Mini XLR (M) 3-pin mounting version 1 V Input: AUX via 1 x 3.5 mm jack (stereo) 3,5 V
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Width: 6,7 cm

Depth: 3,0 cm
Height: 11,2 cm

Weight: 200 g

OMNITRONIC WMR-1M UHF-Receiver, mono

Power supply: 5 V DC
3 V DC

Power connection: Mains input via micro USB (F) mounting version included
Battery/battery pack

Battery: 2 x Mignon (AA) included

S/N ratio: >80 dB

Range: Range up to 50m

Frequency band: UHF 823 - 832 MHz

Frequency stability: $\pm 0,01$ %

Modulation: FM

Frequency selection: 16 Switchable frequencies

Pilot frequency: 32,768 khz

Connector type: 3.5 mm jack (mono) mounting version

Control elements: Level control, power switch, frequency selector switch

Status LED: Signal, power

Connections: Output: line via 1 x 3.5 mm jack (mono) mounting version 1 V
Output: headphones via 1 x 3.5 mm jack (stereo) mounting version

Switch: On/off switch

Material: Plastic

Color: Black

Dimensions: Width: 6,7 cm
Depth: 3,0 cm
Height: 11,2 cm

Weight: 210 g
