

EUROLITE Set PAR-30 Spot sil+ PAR-30 230V COB 12W E-27 LED 1800-3000K dim2warm

PAR-30 housing with E-27 socket including PAR-30 LED lamp with modern dim-to-warm-feature

GTIN: 4026397363197



List price: 59.38 €

incl. 19% VAT.

Features:

EUROLITE PAR-30 Spot silver

PAR-30 housing with E27 socket (with plug + cable)

- 4 clip-to-hold clamps with spring locks for comfortable opening of the color filter frame
- Strong clamps with extension springs for safe hold and for quick opening of the rear housing cover
- Blackened tube for precise light output
- Suitable for different spot angles
- Small lighting-systems can also be realized with a small budget
- Control via plug and play
- With Mounting bracket
- For PAR 30
- For application areas such as: Advertisement/Shop window; Decoration; Clubs/dancing school

Package contents

- 1 x spotlight, 1 x mounting bracket, 1 x filter frame, 1 x user manual

Logistic

EAN / GTIN: 4026397363197

Weight: 1,00 kg

Length: 0.30 m

Width: 0.22 m

Height: 0.21 m

OMNILUX PAR-30 230V COB 12W E-27 LED 1800k-3000k dim2warm

PAR-30 LED lamp with modern dim-to-warm feature

- Dimming behavior comparable with incandescent and halogen lamps (dim-to-warm)
- Changes the light color from 3000 K (warm white) to 1800 K (extra warm white) when dimming
- Creates particularly cosy atmospheres
- Easy lamp replacement
- Energy-saving
- Dimmable
- Variable color temperature 1800 K - 3000 K

- Easy installation
- Very high color rendering index (CRI)

Technical specifications:

| | |
|----------------------------------|-------|
| Weight: | 610 g |
| Energy efficiency class (A - G): | F |

EUROLITE PAR-30 Spot silver

| | |
|-----------------------|---|
| Power supply: | 230 V AC, 50 Hz |
| Power consumption: | Max. 100 W |
| IP classification: | IP20 |
| Protection class: | Protection class I |
| Power connection: | Fixed power supply cord with safety plug |
| Cable length: | Approx. 0,4 m |
| Base: | E27 |
| Lamp type: | Selectable |
| Color generation: | Via color filter frame |
| Control: | Plug and play |
| Construction: | PAR-30 |
| Housing color: | Silver |
| Attachment system: | Mounting bracket |
| Material: | Aluminum |
| Slot for spot length: | 12,8 cm x 12,8 cm |
| Dimensions: | Length: 23,5 cm Width: 14,5 cm Height: 21 cm |
| Weight: | 470 g |
| Mounting bracket | |
| Material: | Aluminum |
| Filter frame | |
| Material: | Aluminum |
| Dimensions: | Length: 12,6 cm Width: 12,6 cm Diameter: Ø 9,4 cm |
| Weight: | 18 g |

OMNILUX PAR-30 230V COB 12W E-27 LED 1800k-3000k dim2warm

| | |
|------------------|----------|
| Voltage (lamps): | 230 V |
| Nominal wattage: | 12 W |
| Base: | E27 |
| Lamp type: | LED lamp |

| | |
|----------------------------------|--------------------------|
| Lamp specification: | Dimmable |
| Beam angle: | 24° |
| Color of light: | White |
| Color temperature: | 1800K - 3000K adjustable |
| Setup: | Easy installation |
| Color rendering index (CRI): | 96 Ra |
| Construction: | PAR-30 |
| Operating temperature max.: | 40° C |
| Operating temperature min.: | 20° C |
| Lamp life: | 15000 h |
| Luminous flux: | 960 lm |
| Wavelength: | 640 nm |
| Weight: | 140 g |
| Photobiological safety: | Risk Group 1 |
| Energy efficiency class (A - G): | F |