

OMNITRONIC Set Podcast 1

Recording-Mixer, Headphones, dynamic microphone, table microphone stand and pop filter

Art. No.: 2000701

GTIN: 4026397170481



The article is no longer in our assortment.

Features:

OMNITRONIC MRS-502USB Recording Mixer

Mini audio mixer with USB interface

- Built-in USB audio interface allows recordings and playback of digital audio files with a computer (PC and Mac)
- Full duplex USB port allows simultaneous recording and playback
- 1 mono input channel with gain control, 2-band EQ and pan control, clip LED
- 1 stereo input channel with level control, 2-band EQ and balance control
- Tape input and output
- 3.5 mm stereo master output
- Adjustable headphones output
- +20 V phantom power, permanent
- Clip LED
- Rugged, compact metal housing

Mixer

- Desktop console housing

Package contents

- 1 x mixer, 1 x external mains adapter, 1 x uSB cable, 1 x user manual

Logistic

EAN / GTIN: 4026397170481

Weight: 3,00 kg

Length: 0.41 m

Width: 0.31 m

Heigh: 0.28 m

OMNITRONIC SHP-900 Monitoring Headphones

High-quality monitor stereo headphones

- Closed, circumaural, dynamic stereo headphones
- Very good attenuation of background noise makes them especially suitable for use as monitoring headphones in a noisy environment, film and theater applications, DJ or recording applications

- Very high output power
- Powerful 45 mm neodymium magnet and HQ voice coil
- Enhanced frequency response tuned to deliver high-output bass with extended highs
- Well-padded, adjustable leatherette headband
- Soft circumaural ear pads
- Optimal wearer-comfort due to single OFC cable
- Gold-plated 3.5 mm stereo jack with 6.3 mm adapter
- For application areas such as: Mobile djs / entertainer; homerecording and studios

Package contents

- 1 x headphones, 1 x bag

OMNITRONIC Partymic-1 Dynamic Microphone

Simple dynamic microphone including XLR/jack cable

- Polar pattern: Cardioid
- For application areas such as: Party room

Package contents

- 1 x microphone, 1 x jack cable

OMNITRONIC KS-4 Table Microphone Stand

Compact table stand, can be retracted, extendable from 105-155 mm

- For microphones included holder
- Three detachable feet
- Height universally adjustable
- Adjustable height

OMNITRONIC Microphone-Pop Filter, black

Microphone pop filter for studio applications

- Front screening
- Fine wire mesh, d=155 mm
- Flexible gooseneck, 33 cm
- Solid metal version
- Stand screw clamp for all conventional stands with a diameter of up to 22 mm

Package contents

- 1 x filter

Technical specifications:

Weight: 1,75 kg

OMNITRONIC MRS-502USB Recording Mixer

Power consumption:	2,50 W
Frequency range:	20 - 20000 Hz
S/N ratio:	>81 dB
THD:	<0,05 % at 1 kHz
Phantom power:	Or 20 V DC
Control elements:	Power switch, source selector
Status LED:	Clip, power
Connections:	Input: Microphone via 1 x 3-pin XLR/6.35mm jack (F) combination socket (mounting version) Input: line via 1 x stereo RCA 0,15 V

Input: line via 1 x stereo RCA 0,42 V
Output: line via 1 x stereo RCA 2 V
Output: line via 1 x 3.5 mm jack (stereo) mounting version 6 V
Output: headphones via 1 x 3.5 mm jack (stereo) mounting version 2 V

Channels:	Microphon chanal: 1 x mono via XLR or jack, channel control via Rotary dial, 2-band tone control EQ 80Hz/12kHz, gain control, panoramacontrol Input chanel: 1 x stereo with Line-USB switch via RCA or USB, channel control via Rotary dial, 2-band tone control EQ 80Hz/12kHz, balancecontrol Master output: 1 x stereo via Jack, channel control via Rotary dial Headphones output: 1 x stereo via Jack, channel control via Rotary dial
USB port:	USB 2.0, Typ B
Dimensions:	Width: 10,3 cm Depth: 14,8 cm Height: 4,7 cm
Weight:	530 g
Mixer	
Power supply:	5 V 500 mA
Power connection:	Mains input via USB, type B power supply cord with AC adapter (provided)
Housing color:	Black
Material:	Metal
Housing design:	Desktop console housing
External mains adapter	
Power supply:	100-240 V AC, 50/60 Hz

OMNITRONIC SHP-900 Monitoring Headphones

Cable length:	Approx. 3 m
Frequency range:	10 - 26000 Hz
Sensitivity:	98 dB
Rated power:	1800 mW
Impedance:	40 Ohm
Connector type:	6.3 mm jack (stereo); 3.5 mm jack (stereo)
Connections:	Headphones via 6.3 mm jack (stereo) Headphones via 3.5 mm jack (stereo)
Speaker:	1,75" with neodymium magnet
Transducer type:	Dynamic
Type (Headphones):	Closed, earenclosing
Weight:	300 g

OMNITRONIC Partymic-1 Dynamic Microphone

Type:	Vocal microphone; Microphone for instruments
Cable length:	3,3 m
Capsule type:	Dynamic
Polar pattern:	Cardioid
Frequency range:	50 - 13000 Hz
Impedance:	600 Ohm
Connections:	3-pin XLR 6.3 mm plug (unbal.)
Input sensitivity:	-55 dB
Transducer type:	Dynamic
Switch:	On/off switch
Dimensions:	Length: 18 cm Diameter: Ø 5 cm
Weight:	320 g

OMNITRONIC KS-4 Table Microphone Stand

Height:	Maximum: 15 cm Minimum: 10 cm
Type (general stands):	Microphone stand (desk)
Material:	Aluminum casting; Steel
Color:	Black
Base area:	Ø 22 cm
Weight:	200 g

OMNITRONIC Microphone-Pop Filter, black

Type (general stands):	Accessory
Color:	Black
Weight:	410 g