



The article is no longer in our assortment.

Features:

EUROLITE LED SL-350 Search Light

Follow spot with cold white 300 W LED for small to medium distances

- Suitable for a projection area of up to 30 meters
- Comfortable control via control panel with buttons and faders
- Color wheel with 5 different, dichroic color filters and open
- Strobe effect with adjustable speed
- CTO correction filter 3200 K, 4500 K and 6500 K
- Steplessly adjustable iris
- Electronic dimmer (0-100%)
- 1 powerful LED 300 W COB (chip-on-board) cold white (CW)
- Focus manual
- The device is cooled by cooling fan
- Control via stand-alone
- With a beam angle of 10°
- With Mounting bracket

Package contents

- 1 x spotlight, 1 x user manual, 1 x power cord, 1 x mounting bracket, 1 x hex key

Logistic

EAN / GTIN: 4026397690644

Weight: 27,00 kg

Length: 1.20 m

Width: 0.80 m

Height: 0.50 m

Bulky product

ROADINGER Flightcase 1x LED SL-350/SL-160 with wheels

- , dark brown, laminated
- Interior with foam padding
cover with foam padding
- Aluminum profile frames 25mm with rounded edges
- 4 hinged, chromium plated case handles

- 2 chrome tip-over locks
- 2 high-quality butterfly locks
- 4 castors with 2 locking brakes
- Branded hardware

Technical specifications:

Weight: 24,25 kg

EUROLITE LED SL-350 Search Light

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	490 W
IP classification:	IP20
Power connection:	Mains input via PowerCON (blue), mounting version power supply cord with safety plug (provided)
Lamp type:	LED lamp
LED:	1 x 300 W COB (chip-on-board) cold white (CW)
Flash rate:	0 - 20 Hz
Equipment:	Focus manual
Cooling:	Cooling fan
Control:	Stand-alone
Beam angle:	10°
Beam angle (1/2 peak):	10°
Housing color:	Black
Attachment system:	Mounting bracket
Dimensions:	Length: 60 cm Width: 27,5 cm Height: 30 cm
Weight:	10,55 kg
Noise classification:	Class 2 (slight noise)
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting

ROADINGER Flightcase 1x LED SL-350/SL-160 with wheels

Maximum load:	50 kg
Aluminum profile frames:	25 mm
Case handle:	4 pc/pcs
Stop hinge:	2 pc/pcs
Lock:	Butterfly lock: 2 pc/pcs
Transport aid:	4 x castors with 2 locking brakes
Use of brands:	Branded hardware

Color:	Dark brown, laminated
Inside dimensions:	60 cm x 34 cm x 25,5 cm
Device compartment:	60 cm x 19 cm x 25,5 cm
Dimensions:	Length: 69,5 cm Width: 35,5 cm Height: 47 cm
Weight:	13,70 kg