

# OMNITRONIC Set UHF-E4 Wireless Mic System + 4x BP + 4x Lavalier Microphone 518.7/520.9/523.1/525.3MHz

GTIN: 4026397724455



**List price: 415.31 €**

incl. 19% VAT.

## Features:

### OMNITRONIC UHF-E4 Wireless Mic System 518.7/520.9/523.1/525.3MHz

License-free 4-channel wireless microphone system

- 4-channel receiver and 4 hand-held microphones with UHF PLL technology
- Easy handling
- 4 separate channels with volume controls and LEDs for carrier signal and audio signal
- Balanced XLR output per channel
- 6.3 mm jack for mixed signal output
- Microphones with color indication
- Operating range up to 60m with line-of-sight
- UHF 518 - 548 MHz License-free and approved in large parts of Europe
- Up to 12 transmitters can be operated in parallel without interference
- For application areas such as: Clubs/dancing school; Wedding/gala/events; mobile use; mobile djs / entertainer; small rental

#### Receiver

- Desktop console housing
- (19") 48.3 cm rack installation possible 1 U

#### Microphone

- Polar pattern: Cardioid

#### Package contents

- 1 x receiver, 2 x antenna, 1 x external mains adapter, 4 x microphone, 1 x jack cable, 3 x mounting bracket, 4 x foot, 13 x screw, 1 x user manual, 1 x declaration of conformity

## Logistic

EAN / GTIN: 4026397724455

Weight: 4,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

### OMNITRONIC UHF-E Series Bodypack 518.7MHz + Lavalier Microphone

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 518 - 548 MHz License-free and approved in large parts of Europe

**Package contents**

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

**OMNITRONIC UHF-E Series Bodypack 520.9MHz + Lavalier Microphone**

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 518 - 548 MHz License-free and approved in large parts of Europe

**Package contents**

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

**OMNITRONIC UHF-E Series Bodypack 523.1MHz + Lavalier Microphone**

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 518 - 548 MHz License-free and approved in large parts of Europe

**Package contents**

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

**OMNITRONIC UHF-E Series Bodypack 525.3MHz + Lavalier Microphone**

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 518 - 548 MHz License-free and approved in large parts of Europe

**Package contents**

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

**Technical specifications:**

---

Weight: 3,62 kg

---

**OMNITRONIC UHF-E4 Wireless Mic System 518.7/520.9/523.1/525.3MHz**

|                      |  |
|----------------------|--|
| Type:                | Wireless set                               |
| Range:               | Range up to 60m with line-of-sight         |
| Frequency band:      | UHF 518 - 548 MHz                          |
| Carrier frequency:   | 518,7; 520,9; 523,1; 525,3                 |
| Parallel mode:       | Max. 12 transmitter                        |
| Modulation:          | FM   |
| Frequency selection: | 4 fixed frequencies                        |
| Weight:              | 2,16 kg                                    |
| Receiver             |  |
| Power supply:        | 100-240 V AC, 50/60 Hz<br>13,5 V DC 150 mA |

|                     |   |
|---------------------|---|
| Power consumption:  | 6 W   |
| Power connection:   | Mains input via Coaxial power connector (M) mounting version power supply cord with AC adapter (provided) |
| Number of channels: | 4   |
| Frequency range:    | 20 - 20000 Hz   |
| S/N ratio:          | >96 dB  |
| THD:                | <0,1 % at 1 kHz   |
| Housing color:      | Black   |
| Control elements:   | Power switch, level control   |
| Connections:        | Output: line via 1 x 6.3 mm plug (unbal.)<br>Output: Microphone via 4 x 3-pin XLR                         |
| Material:           | Metal   |
| Color:              | Black   |
| Housing design:     | Desktop console housing<br>(19") 48.3 cm rack installation possible 1 U                                   |
| Weight:             | 1 kg  |
| <b>Microphone</b>   |   |
| Type:               | Hand-held transmitter   |
| Power supply:       | 3 V DC  |
| Power connection:   | Battery/battery pack  |
| Capsule type:       | Dynamic   |
| Polar pattern:      | Cardioid  |
| Battery:            | 2 x Mignon (AA) (not included)  |
| Frequency range:    | 50 - 20000 Hz   |
| RF power output:    | 10 mW   |
| Housing color:      | Black   |
| Switch:             | Mute control  |
| Material:           | Plastic   |
| Color:              | Black   |
| Dimensions:         | Length: 25 cm<br>Diameter: Ø 5,2 cm   |
| Weight:             | 205 g   |

#### **OMNITRONIC UHF-E Series Bodypack 518.7MHz + Lavalier Microphone**

|                   |                                    |
|-------------------|------------------------------------|
| Type:             | Pocket transmitter                 |
| Power supply:     | 3 V DC                             |
| Power connection: | Battery/battery pack               |
| Capsule type:     | Condenser                          |
| Polar pattern:    | Cardioid                           |
| Battery:          | 2 x Mignon (AA) (not included)     |
| THD:              | <0,1 % at 1 kHz                    |
| Range:            | Range up to 60m with line-of-sight |
| Frequency band:   | UHF 518 - 548 MHz                  |

|                      |   |
|----------------------|---|
| Carrier frequency:   | 518,7 MHz                                       |
| RF power output:     | 10 mW   |
| Modulation:          | FM  |
| Frequency selection: | Fixed frequencies                               |
| Connector type:      | Mini XLR (M) 3-pin mounting version             |
| Status LED:          | Charge status indicator                         |
| Switch:              | On/off switch                                   |
| Material:            | Plastic   |
| Color:               | Black   |
| Dimensions:          | Width: 6,8 cm<br>Depth: 2,3 cm<br>Height: 10 cm |
| Weight:              | 140 g   |

#### **OMNITRONIC UHF-E Series Bodypack 520.9MHz + Lavalier Microphone**

|                      |   |
|----------------------|---|
| Type:                | Pocket transmitter                              |
| Power supply:        | 3 V DC  |
| Power connection:    | Battery/battery pack                            |
| Capsule type:        | Condenser                                       |
| Polar pattern:       | Cardioid  |
| Battery:             | 2 x Mignon (AA) (not included)                  |
| THD:                 | <0,1 % at 1 kHz                                 |
| Range:               | Range up to 60m with line-of-sight              |
| Frequency band:      | UHF 518 - 548 MHz                               |
| Carrier frequency:   | 520,9 MHz                                       |
| RF power output:     | 10 mW   |
| Modulation:          | FM  |
| Frequency selection: | Fixed frequencies                               |
| Connector type:      | Mini XLR (M) 3-pin mounting version             |
| Status LED:          | Charge status indicator                         |
| Switch:              | On/off switch                                   |
| Material:            | Plastic   |
| Color:               | Black   |
| Dimensions:          | Width: 6,8 cm<br>Depth: 2,3 cm<br>Height: 10 cm |
| Weight:              | 140 g   |

#### **OMNITRONIC UHF-E Series Bodypack 523.1MHz + Lavalier Microphone**

|                   |                      |
|-------------------|----------------------|
| Type:             | Pocket transmitter   |
| Power supply:     | 3 V DC               |
| Power connection: | Battery/battery pack |
| Capsule type:     | Condenser            |

|                      |   |
|----------------------|---|
| Polar pattern:       | Cardioid  |
| Battery:             | 2 x Mignon (AA) (not included)                  |
| THD:                 | <0,1 % at 1 kHz                                 |
| Range:               | Range up to 60m with line-of-sight              |
| Frequency band:      | UHF 518 - 548 MHz                               |
| Carrier frequency:   | 523,1 MHz                                       |
| RF power output:     | 10 mW   |
| Modulation:          | FM  |
| Frequency selection: | Fixed frequencies                               |
| Connector type:      | Mini XLR (M) 3-pin mounting version             |
| Status LED:          | Charge status indicator                         |
| Switch:              | On/off switch                                   |
| Material:            | Plastic   |
| Color:               | Black   |
| Dimensions:          | Width: 6,8 cm<br>Depth: 2,3 cm<br>Height: 10 cm |
| Weight:              | 140 g   |

#### **OMNITRONIC UHF-E Series Bodypack 525.3MHz + Lavalier Microphone**

|                      |   |
|----------------------|---|
| Type:                | Pocket transmitter                              |
| Power supply:        | 3 V DC  |
| Power connection:    | Battery/battery pack                            |
| Capsule type:        | Condenser                                       |
| Polar pattern:       | Cardioid  |
| Battery:             | 2 x Mignon (AA) (not included)                  |
| THD:                 | <0,1 % at 1 kHz                                 |
| Range:               | Range up to 60m with line-of-sight              |
| Frequency band:      | UHF 518 - 548 MHz                               |
| Carrier frequency:   | 525,3 MHz                                       |
| RF power output:     | 10 mW   |
| Modulation:          | FM  |
| Frequency selection: | Fixed frequencies                               |
| Connector type:      | Mini XLR (M) 3-pin mounting version             |
| Status LED:          | Charge status indicator                         |
| Switch:              | On/off switch                                   |
| Material:            | Plastic   |
| Color:               | Black   |
| Dimensions:          | Width: 6,8 cm<br>Depth: 2,3 cm<br>Height: 10 cm |
| Weight:              | 140 g   |