

# OMNITRONIC Set UHF-E4 Wireless Mic System + 4x BP + 4x Lavalier Microphone 823.6/826.1/828.6/831.1MHz

GTIN: 4026397724448



**List price: 415.31 €**

incl. 19% VAT.

## Features:

### OMNITRONIC UHF-E4 Wireless Mic System 823.6/826.1/828.6/831.1MHz

License-free 4-channel wireless microphone system

- 4-channel receiver and 4 hand-held microphones with UHF PLL technology
- Easy handling
- 4 separate channels with volume controls and LEDs for carrier signal and audio signal
- Balanced XLR output per channel
- 6.3 mm jack for mixed signal output
- Microphones with color indication
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe
- Up to 12 transmitters can be operated in parallel without interference
- For application areas such as: Clubs/dancing school; Wedding/gala/events; mobile use; mobile djs / entertainer; small rental

#### Receiver

- Desktop console housing
- (19") 48.3 cm rack installation possible 1 U

#### Microphone

- Polar pattern: Cardioid

#### Package contents

- 1 x receiver, 2 x antenna, 1 x external mains adapter, 4 x microphone, 1 x jack cable, 3 x mounting bracket, 3 x screw, 4 x foot, 1 x user manual, 1 x declaration of conformity

## Logistic

EAN / GTIN: 4026397724448

Weight: 4,00 kg

Length: 0.00 m

Width: 0.00 m

Height: 0.00 m

### OMNITRONIC UHF-E Series Bodypack 823.6MHz + Lavalier Microphone

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

**Microphone**

- Polar pattern: Cardioid

**Package contents**

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

**OMNITRONIC UHF-E Series Bodypack 826.1MHz + Lavalier Microphone**

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

**Package contents**

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

**OMNITRONIC UHF-E Series Bodypack 828.6MHz + Lavalier Microphone**

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

**Package contents**

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

**OMNITRONIC UHF-E Series Bodypack 831.1MHz + Lavalier Microphone**

Bodypack transmitter with lavalier microphone for UHF-E receivers

- Sensitivity adjustable
- Polar pattern: Cardioid
- Operating range up to 60m with line-of-sight
- UHF 823 - 832 MHz License-free and approved in large parts of Europe

**Package contents**

- 1 x transmitter, 1 x microphone, 2 x battery, 1 x user manual, 1 x declaration of conformity

**Technical specifications:**

---

Weight: 3,62 kg

---

**OMNITRONIC UHF-E4 Wireless Mic System 823.6/826.1/828.6/831.1MHz**

Type:	Wireless set
Range:	Range up to 60m with line-of-sight
Frequency band:	UHF 823 - 832 MHz
Carrier frequency:	823,6; 826,1; 828,6; 831,1
Parallel mode:	Max. 12 transmitter
Modulation:	FM
Frequency selection:	Fixed frequencies
Weight:	2,16 kg
Receiver	
Power supply:	100-240 V AC, 50/60 Hz

	13,5 V DC 150 mA
Power consumption:	6 W
Power connection:	Mains input via Coaxial power connector (M) mounting version power supply cord with AC adapter (provided)
Number of channels:	4
Frequency range:	20 - 20000 Hz
S/N ratio:	>96 dB
THD:	<0,1 % at 1 kHz
Housing color:	Black
Control elements:	Power switch, level control
Connections:	Output: line via 1 x 6.3 mm plug (unbal.) Output: Microphone via 4 x 3-pin XLR
Material:	Metal
Housing design:	Desktop console housing (19") 48.3 cm rack installation possible 1 U
Weight:	1 kg
<b>Microphone</b>	
Type:	Hand-held transmitter
Power supply:	3 V DC
Power connection:	Battery/battery pack
Capsule type:	Dynamic
Polar pattern:	Cardioid
Battery:	2 x Mignon (AA) (not included)
Frequency range:	50 - 20000 Hz
RF power output:	10 mW
Housing color:	Black
Switch:	Mute control
Material:	Plastic
Dimensions:	Length: 25 cm Diameter: Ø 5,2 cm
Weight:	205 g

#### **OMNITRONIC UHF-E Series Bodypack 823.6MHz + Lavalier Microphone**

Type:	Bodypack with microphone
Power supply:	3 V DC
Power connection:	Battery/battery pack
Battery:	2 x Mignon (AA) (not included)
THD:	<0,1 % at 1 kHz
Range:	Range up to 60m with line-of-sight
Frequency band:	UHF 823 - 832 MHz
Carrier frequency:	823,6 MHz
RF power output:	10 mW
Modulation:	FM

Frequency selection:	Fixed frequencies
Connector type:	Mini XLR (M) 3-pin mounting version
Housing color:	Black
Status LED:	Charge status indicator
Color code:	CH A= red,
Switch:	On/off switch
Material:	Plastic
Dimensions:	Width: 6,8 cm Depth: 2,3 cm Height: 10 cm
Weight:	140 g
Microphone	
Type:	Lavalier microphone
Cable length:	0,95 m
Capsule type:	Condenser
Polar pattern:	Cardioid
Material:	Metal
Color:	Black

#### **OMNITRONIC UHF-E Series Bodypack 826.1MHz + Lavalier Microphone**

Type:	Pocket transmitter
Power supply:	3 V DC
Power connection:	Battery/battery pack
Capsule type:	Condenser
Polar pattern:	Cardioid
Battery:	2 x Mignon (AA) (not included)
THD:	<0,1 % at 1 kHz
Range:	Range up to 60m with line-of-sight
Frequency band:	UHF 823 - 832 MHz
RF power output:	10 mW
Modulation:	FM
Frequency selection:	Fixed frequencies
Connector type:	Mini XLR (M) 3-pin mounting version
Status LED:	Charge status indicator
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Width: 6,8 cm Depth: 2,3 cm Height: 10 cm
Weight:	140 g

#### **OMNITRONIC UHF-E Series Bodypack 828.6MHz + Lavalier Microphone**

Type:	Pocket transmitter
Power supply:	3 V DC
Power connection:	Battery/battery pack
Capsule type:	Condenser
Polar pattern:	Cardioid
Battery:	2 x Mignon (AA) (not included)
THD:	<0,1 % at 1 kHz
Range:	Range up to 60m with line-of-sight
Frequency band:	UHF 823 - 832 MHz
RF power output:	10 mW
Modulation:	FM
Frequency selection:	Fixed frequencies
Connector type:	Mini XLR (M) 3-pin mounting version
Status LED:	Charge status indicator
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Width: 6,8 cm Depth: 2,3 cm Height: 10 cm
Weight:	140 g

#### **OMNITRONIC UHF-E Series Bodypack 831.1MHz + Lavalier Microphone**

Type:	Pocket transmitter
Power supply:	3 V DC
Power connection:	Battery/battery pack
Capsule type:	Condenser
Polar pattern:	Cardioid
Battery:	2 x Mignon (AA) (not included)
THD:	<0,1 % at 1 kHz
Range:	Range up to 60m with line-of-sight
Frequency band:	UHF 823 - 832 MHz
RF power output:	10 mW
Modulation:	FM
Frequency selection:	Fixed frequencies
Connector type:	Mini XLR (M) 3-pin mounting version
Status LED:	Charge status indicator
Switch:	On/off switch
Material:	Plastic
Color:	Black
Dimensions:	Width: 6,8 cm Depth: 2,3 cm Height: 10 cm
Weight:	140 g