


## EUROLITE LED Neon Flex 230V Slim yellow 100cm

Flexible tube with Neon LEDs for decorative lighting

Art. No.: 50499805

GTIN: 4026397618679



**List price: 35.58 €**

incl. 19% VAT.

### Features:

- Slim design for space-saving applications
- LED Neon Flex creates the effect of conventional neon light
- DMX controller and simple controller with supply cable available as accessories
- No complicated installation, no fragile glass nature, no potential shock hazard, no high maintenance costs and no high power consumption
- Built of optimally protected LEDs in a full-plastic round tube which is extremely flexible and can be bent in any radius as small as 4 cm
- One roll contains 50 cuttable pieces with 100 cm each
- Please specify the desired length when ordering
- Price per segment (100 cm)
- Cutting also possible directly on site
- You can order as many pieces of the given length as you like, up to a maximum total length of 100 m
- Cut it on the cutting mark, connect the power cord and endcap, and your new neon light effect is ready to use
- Matching installation materials must be ordered separately
- 230 V operation without transformer
- 72 powerful LEDs SMD 5050 yellow (Y)
- Control via Accessory
- Suitable for outdoor use IP44
- Various versions available
- Dimmable
- For application areas such as: Clubs/dancing school; Trade fair and shop fitting; Installation; restaurants, bars and hotels
- Silent operation
- Application possibility: Wall mounting

### Logistic

EAN / GTIN: 4026397618679

Weight: 0,25 kg

Length: 1.00 m

Width: 0.02 m

Height: 0.01 m

## Technical specifications:

---

Power supply:	230 V AC, 50 Hz
Power consumption:	6 W
IP classification:	IP44
Lamp specification:	Dimmable
LED:	72 x SMD 5050 yellow (Y)
Light emission:	Top 12 mm Bottom 3 mm
Control:	Accessory
Lamp distance:	14 mm
Cutting mark:	100 cm
Wavelength:	600 nm
Housing color:	White; Frost
Dimensions:	Length: 1 m Depth: 1,2 cm Height: 2 cm
Weight:	250 g
Noise classification:	Class 0 (no noise at all)

---