

## EUROLITE Color-Changer-Set + PAR-36 Pinspot

For starters

Art. No.: 50800530

GTIN: 4026397382242



**List price: 59.38 €**

incl. 19% VAT.

### Features:

- Color-wheel with motor for T-36
- Spot and motor delivered with installed power cord and safety plug
- Use with alternative illuminants having differing beam angles (flood) is possible
- color wheel**
- Color wheel with red, green, yellow, blue
- illuminant**
- Dimmable
- Hot restrike
- Very high color rendering index (CRI)
- spotlight**
- The device is cooled by passive convection cooling
- Control via plug and play
- With Mounting bracket
- Motor for color wheel**
- Control via plug and play
- Package contents**
- 1 x spotlight, 1 x illuminant, 1 x motor for color wheel, 2 x nut, 1 x color wheel, 1 x safety bond, 1 x chain link, 1 x lamp clamping ring, 1 x user manual

### Logistic

EAN / GTIN: 4026397382242

Weight: 1,80 kg

Length: 0.24 m

Width: 0.14 m

Height: 0.25 m

### Technical specifications:

Weight: 1,55 kg

Color wheel

Color generation: Color wheel with red, green, yellow, blue

Diameter mounting holes:	1 x Ø8mm
Material:	Plastic
Dimensions:	Width: 2 mm Diameter: Ø 23 cm
<b>Illuminant</b>	
Operating voltage:	6,4 V
Nominal wattage:	30 W
Base:	G-53 STC
Lamp type:	Halogen lamp; clear lamp
Lamp specification:	Dimmable Hot restrike
Color of light:	Warm white WW <3300 K
Beam angle (1/2 peak):	6°
Color rendering index (CRI):	99 Ra
Energy efficiency class (A - G):	G
<b>Mounting bracket</b>	
Diameter mounting holes:	3 x Ø10mm; 1 x Ø8mm
Material:	Metal, 2 mm
<b>Spotlight</b>	
Power supply:	230 V AC, 50 Hz
Power consumption:	Max. 30 W
IP classification:	IP20
Protection class:	Protection class I
Suitable lamp:	Max. 6,4 V/30 W PAR-36 G-53 STC
Power connection:	Fixed power supply cord with safety plug
Cable construction:	3 x 0,75 mm <sup>2</sup> H05VV-F
Cable length:	Approx. 0,9 m
Base:	Wires
Cooling:	Passive convection cooling
Control:	Plug and play
Housing color:	Black
Attachment system:	Mounting bracket
Output:	6.4V AC;
Dimensions:	Length: 16 cm Width: 15,5 cm Height: 17 cm
Weight:	1 kg
<b>Motor for color wheel</b>	
Power supply:	230 V AC, 50 Hz
Power consumption:	4 W
IP classification:	IP20
Protection class:	Protection class I
Power connection:	Fixed power supply cord with safety plug
Cable construction:	3 x 0,75 mm <sup>2</sup> H05VV-F
Cable length:	Approx. 0,9 m

Speed:	2,5 RPM
Control:	Plug and play
Maximum load:	1 kg
Housing color:	Black
Dimensions:	Length: 10 cm Height: 7,5 cm
Weight:	300 g
Lamp clamping ring	
Material:	Metal
Color:	Silver