

## EUROLITE LED TSL-250 Scan COB

Handy scanner with 30 W COB LED, gobo and color wheel

Art. No.: 51786125

GTIN: 4026397685138



**List price: 296.31 €**

incl. 19% VAT.

### Features:

- Compact design
- 1 powerful LED 30 W COB (chip-on-board)
- Positioning within
- Color wheel; gobo wheel with rotating gobos; focus manual
- Dimmer electronic
- Color wheel with 7 dichroic filters plus open<BR>half colors selectable, Rainbow effect with adjustable speed in both directions
- Gobo wheel with rotating gobos, 7 gobos and open<BR>gobos changeable
- Slot-in gobo system for easy gobo replacement
- Shake effect
- Integrated show programs
- The device is cooled by cooling fan
- Control via stand-alone; DMX; master/slave function; sound to light via microphone; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional)
- Preprogrammed in Light´J; Light Captain; EASY SHOW 2; EASY SHOW 3
- Flicker-free
- With a beam angle of 9°
- LCD display
- Rubber feet
- For application areas such as: Clubs/dancing school; party room; mobile djs / entertainer
- Application possibility: Standing; suspended; on stand

#### Package contents

- 1 x device, 1 x user manual, 1 x power cord, 1 x mounting bracket, 2 x screw

### Logistic

EAN / GTIN: 4026397685138

Weight: 3,75 kg

Length: 0.41 m

Width: 0.23 m

Height: 0.21 m

## Technical specifications:

|                          |   |
|--------------------------|---|
| Power supply:            | 100-240 V AC, 50/60 Hz  |
| Power consumption:       | 65 W  |
| IP classification:       | IP20  |
| Protection class:        | Protection class I  |
| Power connection:        | Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)  |
| Device fuse:             | 5 x 20 mm, T 1 A fuse replaceable   |
| Lamp type:               | LED lamp  |
| LED type:                | 1 x 30 W COB (chip-on-board)  |
| Equipment:               | Color wheel; gobo wheel with rotating gobos; focus manual   |
| Color generation:        | Color wheel with 7 dichroic filters plus open<br>Half colors selectable, Rainbow effect with adjustable speed in both directions  |
| Gobos:                   | Gobo wheel with rotating gobos, 7 gobos and open<br>Outside diameter 14mm<br>Image diameter 10mm<br>Gobos changeable<br>Slot-in gobo system for easy gobo replacement<br>Shake effect     |
| DMX channels:            | 10  |
| DMX input:               | 3-pin XLR (M) mounting version  |
| DMX output:              | 3-pin XLR (F) mounting version  |
| Cooling:                 | Cooling fan   |
| Control:                 | Stand-alone; DMX; master/slave function; sound to light via microphone; QuickDMX via USB (optional); W-DMX by wireless solution via USB (optional); CRMX by LumenRadio via USB (optional) |
| Preprogrammed in:        | Light'J; Light Captain; EASY SHOW 2; EASY SHOW 3  |
| Projection:              | Flicker-free  |
| Beam angle:              | 9°  |
| Beam angle (1/2 peak):   | 9°  |
| Illuminance in Lux (lx): | Cold white (CW) 1m: 9123 lx, 3m: 955 lx, 6m: 149 lx   |
| Housing color:           | Black   |
| Display type:            | LCD display   |
| Transport aid:           | Rubber feet   |
| Dimensions:              | Width: 16,0 cm<br>Depth: 15,0 cm<br>Height: 33,0 cm   |
| Weight:                  | 3,16 kg   |
| Noise classification:    | Class 3 (clearly perceptible sounds)  |
| Legal specifications     |   |

|                  |  |
|------------------|--|
| Special product: | Not designed for household room illumination |
| Intended use:    | Show effect lighting                         |