


FUTURELIGHT PHS-220 PRO-Head Spot Medium Moving Head

Art. No.: 51838168

GTIN: 4026397176797



The article is no longer in our assortment.

Features:

- DMX-controlled operation or stand-alone operation with Master/Slave function
- 48 preprogrammed scenes in Program Run for stand-alone operation
- Number of scenes in Program Run can be changed individually
- The scenes in Program Run can be modified via the Control Board or via an external controller and loaded into the memory
- 8 built-in programs can be called up via DMX controller
- Sound-controlled via built-in microphone
- 8 brilliant, dichroic colors plus white
- Switchable color change (mode 1: only full colors, mode 2: color-change at every position)
- Rainbow effect with adjustable speed in both directions
- Gobo-wheel with 6 rotating gobos plus open
- All gobos can be interchanged
- With gobo-shake function
- Exact positioning via 16 bit Pan/Tilt movement resolution
- Strobe effect with 1-10 flashes per second
- Motorized focus
- Mechanic dimmer
- PAN-angle switchable between 630° and 540°
- Lightbeam with 19° radiation angle
- Control board with 4-digit display and foil-keyboard for adjusting the DMX-starting address, Pan/Tilt-Reverse, Program, Reset, lamp on/off
- For MSD/HSD 250 or MSD 250/2 lamp
- DMX control via every standard DMX controller
- For further information about this product, please refer to the Data Sheet under "Downloads"

Logistic

EAN / GTIN: 4026397176797

Weight: 18,85 kg

Length: 0.58 m

Width: 0.42 m

Height: 0.47 m

Technical specifications:

Power supply:	230 V AC, 50 Hz
Power consumption:	430,00 W
DMX channels:	11
DMX connection:	3-pin XLR
Flash-rate:	10 Hz
Color-wheel:	8 dichroic filters and open
Rotating gobo-wheel:	6 gobos and open
Outside diameter of the gobos:	27 mm
Image diameter of the gobos:	23 mm
Length of base:	330 mm
Width of yoke:	320 mm
Height (head horizontal):	485 mm
Weight:	13 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting