

## **FUTURELIGHT POS-6 Scan LED QCL**

LED color changing bar with TILT movement and 8 W RGBW LEDs (4in1)

Art. No.: 51841362 GTIN: 4026397479287









# The article is no longer in our assortment.

#### Features:

- Stepless vertical movement via control panel or DMX
- Equipped with 6 quadcolor LEDs in the colors red, green, blue and white
- 6, 8, 12 or 30 DMX channels selectable
- Each LED can be controlled individually
- Hanging as well as standing installation possible
- Functions: RGBW color mixture, color presets, 11 preset color temperatures, automatic color change, built-in programs, dimmer, strobe effect, sound-control, Master/Slave operation
- Dimmer speed (step response) adjustable
- Automatic position correction
- Adjustable microphone sensitivity via Control Board
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Comfortable addressing and setting via Control Board with LCD display and four operating buttons
- Switch-mode power supply, automatic power supply adaption between 100 and 240 Volts without power selector
- Power connection via Neutrik PowerCon jack and included power cable
- Feed-through output allows to power another device
- After every 8 devices the fixtures must have a renewed connection with the power mains
- DMX control via every standard DMX controller
- Control via stand-alone; DMX
- Preprogrammed in Light´J; LED PC-Control 512; Light Captain

### Logistic

EAN / GTIN: 4026397479287

Weight: 4,20 kg Length: 0.60 m Width: 0.12 m Heigth: 0.26 m

# **Technical specifications:**

Power supply:	100-240 V AC, 50/60 Hz
Power consumption:	55,00 W
IP classification:	IP20
Lamp type:	LED lamp
Control:	Stand-alone; DMX
Preprogrammed in:	Light'J; LED PC-Control 512; Light Captain
Beam angle (1/2 peak):	36°
Housing color:	Black
Dimensions:	Length: 56 cm Depth: 6,5 cm Height: 19,6 cm
Weight:	3,75 kg
DMX channels:	6/8/12/30
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
Flash-rate:	30 Hz
LED type:	8 W QCL
LED number:	6
Maximum TILT-movement:	240°
Beam angle:	36°
Dimensions (L x W x H):	560 x 65 x 196 mm
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting