

## EUROLITE LED IP PAD COB 3000K 25W

Compact, weather-proof DMX spot (IP65) with warm white 25 W LED

Art. No.: 51914157

GTIN: 4026397532913



**The article is no longer in our assortment.**

### Features:

- For architectural lighting
  - Suitable for outdoor use (IP65)
  - With ground stake
  - Compact, matt grey housing
  - Cooling via housing
  - DMX-controlled operation or stand-alone operation with Master/Slave function
  - Comfortable addressing and setting via Control Board with LC display and four operating buttons
  - Feed-through output allows to power another device
  - After every 8 devices the fixtures must have a renewed connection with the power mains
  - Switch-mode power supply, automatic power supply adaption between 100 and 240 volts without power selector
  - 1 powerful LED 25 W COB (chip-on-board) warm white (WW)
  - The device is cooled by passive convection cooling
  - Control via stand-alone; DMX
  - Preprogrammed in Light´J; LED PC-Control 512
  - With a beam angle of 52°
  - Suitable for outdoor use IP65
- Package contents**
- 1 x adapter cable

### Logistic

EAN / GTIN: 4026397532913  
Weight: 3,20 kg  
Length: 0.35 m  
Width: 0.18 m  
Height: 0.17 m

### Technical specifications:

Power supply: 100-240 V AC, 50/60 Hz

Power consumption:	25 W
IP classification:	IP65
Power connection:	Mains input via 3-pin screw plug connector (M) IP power supply cord with safety plug (provided)
Power output:	1 x 3-pin screw plug connector (F) IP
Lamp type:	LED lamp
LED:	1 x 25 W COB (chip-on-board) warm white (WW)
DMX channels:	1; 3
DMX input:	1 x 3-pin screw plug connector (M) IP
DMX output:	1 x 3-pin screw plug connector (F) IP
Cooling:	Passive convection cooling
Control:	Stand-alone; DMX
Preprogrammed in:	Light J; LED PC-Control 512
Beam angle:	52°
Beam angle (1/2 peak):	52°
Beam angle (1/10 peak):	76°
Housing color:	Grey
Dimensions:	Width: 16 cm Depth: 22 cm Height: 21 cm
Weight:	2,80 kg
Legal specifications	
Special product:	Not designed for household room illumination
Intended use:	Show effect lighting