

## **OMNITRONIC CPE-120P PA Mixing Amplifier**

PA mixing amplifier with audio player, IR remote control and Bluetooth, 120 W RMS

Art. No.: 80709607 GTIN: 4026397683172











## List price: 284.41 €

incl. 19% VAT.

## Features:

- SD card slot and USB port
- FM tuner with auto scan
- 3 microphone inputs with separate level controls
- Mic 1 with phantom power and priority circuit
- Mic 2 and 3 switchable mic/line
- 2 line inputs with separate level controls
- 1 line output
- Treble and bass and master controls for the output signal
- 4-digit LED level meter
- Mains operation and 24 V emergency power operation
- 2U
- The device is cooled by cooling fan
- Control via Bluetooth; IR remote control
- Desktop console housing
- For application areas such as: Installation; restaurants, bars and hotels; sports centres/gyms Package contents
- 1 x amplifier, 1 x user manual, 1 x declaration of conformity, 1 x power cord, 1 x antenna, 1 x remote control, 1 x battery

Technical specifications:		
Power supply:	230 V AC, 50 Hz	
	Or	
	24V	

## Logistic

EAN / GTIN: 4026397683172 Weight: 4,25 kg Length: 0.35 m Width: 0.27 m Heigth: 0.14 m

Eurolite®, Futurelight®, PSSO®, Roadinger®, Alutruss®, Europalms® and Dimavery® are trademarks of Steinigke Showtechnic GmbH, Andreas-Bauer-Straße 5, DE-97297 Waldbüttelbrunn All rights reserved. Subject to change without notice. Errors and omissions excepted.Illustration only. Actual item may differ from photo.

Protection class I
120 W RMS
Mains input via IEC connector (M) mounting version power supply cord with safety plug (provided)
Cooling fan
4-16 ohms; public address systems 100V; Public address systems 70V
Bluetooth; IR remote control
OMNITRONIC
USB + SD + Bluetooth + FM radio
Black
Class D
Power switch, Master control, level control per channel, tone control, audio player; phantom power switch
Overload; short-circuit; limiter; overheat
Power, fault, clip, level meter
Input: microphone via 1 x 3-pin XLR Input: mic/line via 2 x 6.3 mm jack socket (stereo) mounting version Input: line via 2 x stereo RCA Output: line via 1 x stereo RCA 0,774 V Output: speaker via screw terminal
Master: 1 x 2-band tone control
MP3
USB devices/SD cards
2 U Desktop console housing
Width: 30,3 cm Depth: 22 cm Height: 9,1 cm
3,96 kg
1 x button cell 3.0 V CR2025 lithium manganese built-in