



**L'article n'est plus disponible.**

### Caractéristiques:

#### EUROLITE LED TMH-15 Moving Head Zoom Wash

Moving-head-wash 4-en-1 avec zoom et LED QCL 15 W

- Equipped with seven 15 W quadcolor LEDs with RGBW colors
- Compact lightweight
- Motorized zoom with 11°- 55° beam angle
- Color presets
- Positioning within 630° PAN and 200° TILT
- Stepless RGBW color mixture
- Masterdimmer
- Internal programs
- Strobe effect with 1-18 flashes per second
- Random strobe effect
- Exact positioning via 16 bit PAN/TILT movement resolution
- Automatic position correction
- DMX-controlled operation or stand-alone operation with Master/Slave function
- Sound-control via built-in microphone
- Control board with graphic LC display for adjusting the DMX-starting address, PAN/TILT reverse, program, reset
- Switch-mode power supply for operation between 100 and 240 volts
- DMX control via every standard DMX controller
- L'appareil est refroidi par ventilateur
- Commandé via DMX; stand-alone
- Déjà préprogrammé pour %: Light'J; LED PC-Control 512
- Exempt de scintillements
- Avec un Angle de départ de 11° - 55°

### Logistique

## ROADINGER Flightcase 2x TMH-15

PRO flightcase for 2 x TMH-15

- Fitted for 2 devices and accessory
- Additional accessory compartment
- Interior upholstered with foam
- High-quality workmanship with birch multiplex, dark brown laminated
- Aluminum profile frames (25 mm) with rounded edges
- Three-leg, big steel ball corners
- Lid with 2 tip-over locks
- 2 chrome butterfly locks
- 2 chrome case handles
- Matériel de marque
- Vous trouverez de plus amples informations sur ce produit dans la rubrique « Téléchargements » de la fiche technique

## Données techniques:

---

Poids: 22,50 kg

---

## EUROLITE LED TMH-15 Moving Head Zoom Wash

|                                    |  |
|------------------------------------|--|
| Alimentation électrique:           | 100-240 V CA, 50/60 Hz   |
| Puissance totale de raccordement:  | 130 W  |
| Type de protection:                | IP20   |
| Type de lampe:                     | Lampe LED  |
| Refroidissement:                   | Ventilateur  |
| Commande:                          | DMX; stand-alone   |
| Préprogrammé dans:                 | Light´J; LED PC-Control 512  |
| Projection:                        | Exempt de scintillements   |
| Angle de départ:                   | 11° - 55°  |
| Angle de départ (1/2 pic):         | 11 - 28°   |
| Angle de départ (1/10 pic):        | 25 - 55°   |
| Puissance d'éclairage en lux (lx): | Étroit rouge (R) 3 m : 702 lx, 6 m : 182 lx<br>Étroit vert (G) 3 m : 1131 lx, 6 m : 298 lx<br>Étroit B bleu 3 m : 185 lx, 6 m : 50 lx<br>Étroit blanc froid (CW) 3 m : 1139 lx, 6 m : 304 lx<br>Étroit tous 3 m : 2272 lx, 6 m : 600 lx<br>Large rouge (R) 3 m : 157 lx, 6 m : 42 lx<br>Large vert (G) 3 m : 238 lx, 6 m : 65 lx<br>Large B bleu 3 m : 54 lx, 6 m : 15 lx<br>Large blanc froid (CW) 3 m : 329 lx, 6 m : 91 lx<br>Large tous 3 m : 562 lx, 6 m : 155 lx |
| Couleur du boîtier:                | Noir   |
| Dimension:                         | Largeur : 25 cm<br>Profondeur : 15 cm<br>Hauteur : 33,5 cm   |
| Poids:                             | 5,35 kg  |
| DMX channels:                      | 13   |

|                                  |  |
|----------------------------------|--|
| DMX connection:                  | 3-pin XLR  |
| Sound-control:                   | via built-in microphone                                |
| Flash-rate:                      | 18 Hz  |
| LED type:                        | Cree 15 W QCL  |
| LED number:                      | 7  |
| Maximum PAN-movement:            | 630°   |
| Maximum TILT-movement:           | 200°   |
| Beam angle:                      | 11° - 28°  |
| Dimensions (L x W x H):          | 150 x 250 x 335 mm                                     |
| <b>Spécifications juridiques</b> |  |
| Produit spécial:                 | Non destiné à l'éclairage de la pièce dans les ménages |
| Utilisation:                     | Éclairage pour effets de spectacle                     |

### **ROADINGER Flightcase 2x TMH-15**

|                                     |  |
|-------------------------------------|--|
| Charge maximale:                    | 50 kg  |
| Utilisation de la marque:           | Matériel de marque   |
| Matériau:                           | Bois multiplex bouleau, 7 mm                               |
| Couleur:                            | Marron foncé, laminé                                       |
| Dimension:                          | Largeur : 76 cm<br>Profondeur : 35 cm<br>Hauteur : 38,5 cm |
| Poids:                              | 11,80 kg   |
| Strength:                           | 7 mm   |
| Outside dimensions (W x D x H):     | 760 x 350 x 385 mm   |
| Compartment dimensions (W x D x H): | 295 x 270 x 300 mm   |
| Accessory compartment (W x D x H):  | 100 x 310 x 320 mm   |