



**L'article n'est plus disponible.**

### Caractéristiques:

#### EUROLITE LED KLS-1001 Compact-Light-Set

DMX LED spotlight set with 48 x 3in1 LED for mobile use

- Complete LED light set with four slimline LED spots
- Crossbar with integrated DMX control unit
- Installation via TV pin for tripods with 28 mm interior diameter
- Ultra-light ideally suited for mobile use
- Comes pre-assembled with practical transport bag
- 12 TCL LEDs per spot
- Through the close chip placement of the multichip technology, an exquisite color mix even with short distances to the illuminated surface is provided
- Movable and tiltable spotlights
- DMX-controlled operation or stand-alone operation with processor-controlled color change
- Master/Slave operation
- Sound-control via built-in microphone with sensitivity control
- Convenient control possible via optional 4-pedal foot pedal FP-1 or IR remote control
- DMX512 control via regular DMX controller (occupies 15 channels)
- Optimized for control with the optional control panel DMX LED Operator 4
- Via DMX, each spot can be individually controlled
- DMX functions: dimmer, automatic mode, music control, strobe effect
- Addressing and setting via control panel with 4-digit LED display
- Suited for installation on a lighting stand (not included) or truss
- Black lacquered metal version
- Ideal for bands, stages or solo entertainers
- Ready for connection with power cord and safety plug
- 4 IEC outputs for power supply of further devices

### Logistique

- Commandé via stand-alone; DMX; Pédale de commande câblée (facultatif); Télécommande infrarouge (facultatif)
- Déjà préprogrammé pour %: Light´J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3
- Vous trouverez de plus amples informations sur ce produit dans la rubrique « Téléchargements » de la fiche technique

### ROADINGER Jeu de lumières compact KLS, flightcase

Flightcase PRO à trolley pour 1 x jeu de lumières compact

- Professional transport solution with extendable trolley for EUROLITE KLS compact light sets
- Suitable for KLS-200, KLS-300, KLS-400, KLS-401, KLS-800, KLS-801, KLS-1001 and KLS-2001
- Compartments for 1 KLS Compact Light Set, 1 foot controller and further accessories
- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (30 mm) with rounded edges
- Interior upholstered with foam
- Three-leg, medium-sized steel ball corners
- 3 hinges
- 2 high-quality butterfly locks
- 3 case handles
- 2 castors
- Finition haut de gamme avec Bois multiplex bouleau 7 mm, marron foncé, laminé
- Fonction trolley
- Matériel de marque
- Made in Europe
- Vous trouverez de plus amples informations sur ce produit dans la rubrique « Téléchargements » de la fiche technique

### Données techniques:

Poids: 24,65 kg

### EUROLITE LED KLS-1001 Compact-Light-Set

|                                   |  |
|-----------------------------------|--|
| Alimentation électrique:          | 230 V AC, 50 Hz  |
| Puissance totale de raccordement: | 180,00 W   |
| Type de protection:               | IP20   |
| Type de lampe:                    | Lampe LED  |
| Commande:                         | Stand-alone; DMX; Pédale de commande câblée (facultatif); Télécommande infrarouge (facultatif) |
| Préprogrammé dans:                | Light´J; LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3              |
| Angle de départ (1/2 pic):        | 18°  |
| Couleur du boîtier:               | Noir   |
| Dimension:                        | Largeur : 1,2 m<br>Profondeur : 6,5 cm<br>Hauteur : 31,5 cm                                    |
| Poids:                            | 12,65 kg   |
| DMX channels:                     | 15   |
| DMX connection:                   | 3-pin XLR  |
| Sound-control:                    | via built-in microphone  |

|                              |  |
|------------------------------|--|
| LED type:                    | 3 W TCL  |
| Number of LEDs:              | 48   |
| Beam angle:                  | 18°  |
| TV spigot:                   | D = 28 mm  |
| Dimensions (L x W x H):      | 1200 x 65 x 315 mm                                     |
| Dimensions case (L x W x H): | 1250 x 120 x 380 mm                                    |
| Spécifications juridiques    |  |
| Produit spécial:             | Non destiné à l'éclairage de la pièce dans les ménages |
| Utilisation:                 | Éclairage pour effets de spectacle                     |

#### **ROADINGER Jeu de lumières compact KLS, flightcase**

|                           |  |
|---------------------------|--|
| Charge maximale:          | 50 kg  |
| Aide au transport:        | Fonction trolley   |
| Utilisation de la marque: | Matériel de marque   |
| Matériau:                 | Bois multiplex bouleau, 7 mm                                 |
| Couleur:                  | Marron foncé, laminé   |
| Compartiment d'appareil:  | 42 cm x 16,5 cm x 12 cm                                      |
| Dimension interne:        | 1,225 m x 26 cm x 12 cm                                      |
| Dimension:                | Largeur : 1,265 m<br>Profondeur : 37,5 cm<br>Hauteur : 22 cm |
| Poids:                    | 12,00 kg   |