



L'article n'est plus disponible.

Caractéristiques:**OMNITRONIC UHF-201 Wireless Mic System 863.010MHz**

Wireless microphone system with UHF PLL technology

- Receiver unit and hand-held microphone with UHF PLL technology
- Operation in the low-interference UHF band
- Parallel operation of up to 4 sets is possible without any interference
- Volume control
- XLR and 6.3 mm output
- Jack cable included
- LEDs for power, carrier and audio signal
- Microphone with mute switch and color indication
- Matching pocket transmitter can be ordered separately
- License-free and approved in the EU
- Caractéristique directionnelle: Cardioïde
- UHF 863-865 MHz sans inscription et sans frais en Europe

L'étendue des fournitures

- 1 x microphone

Logistique**OMNITRONIC UHF-200 BP Bodypack 863.010MHz**

Émetteur de poche et micro cravate

- Pocket transmitter as UHF PLL system, matching receivers with the same carrier frequency
- Operation in the low-interference UHF band
- Incl. lavalier microphone
- Transmitting power 10 mW
- Sensitivity adjustable

- Power LED
- Mute switch
- Operation via 2 x 1.5 V batteries, type AA
- License-free and approved in the EU
- Caractéristique directionnelle: Cardioïde
- UHF 863-865 MHz sans inscription et sans frais en Europe

Données techniques:

Poids: 830 g

OMNITRONIC UHF-201 Wireless Mic System 863.010MHz

Type:	Ensemble complet sans fil
Puissance totale de raccordement:	10,00 W
Type de micro:	Dynamique
Caractéristique directionnelle:	Cardioïde
Plage de fréquence:	40 - 18000 Hz
Bande de fréquences:	UHF 863-865 MHz
Sélection de la fréquence:	Fréquence fixe
Dimension:	Largeur : 21 cm Profondeur : 4,5 cm Hauteur : 15,5 cm
Poids:	720 g
Microphone	
Batterie:	2 x Mignon (AA) (non incluse dans la livraison)
System:	Non-Diversity
Carrier frequency:	863.010 MHz
Coverage:	50 m (with line-of-sight)
RF power output:	10 mW
Modulation method:	F3F
S/N ratio:	>105 dB
Selectivity:	>80 dB
T.H.D.:	<0.5 % at 1 kHz
Audio outputs:	400 mV, 2.2 kohms (XLR, bal.) 200 mV, 2.2 kohms (6.3 mm jack, unbal.)
Power supply	
Receiver:	100-240 V AC, 50/60 Hz via supplied power unit
Dimensions, weight:	
Receiver:	155 x 210 x 45 mm (W x D x H), 1 kg
Microphone:	50 x 265 mm (D x L), 280 g

OMNITRONIC UHF-200 BP Bodypack 863.010MHz

Type:	Émetteur de poche et microphone
-------	---------------------------------

Type de micro:	Condensateur
Caractéristique directionnelle:	Cardioïde
Batterie:	2 x Mignon (AA) (non incluse dans la livraison)
Plage de fréquence:	40 - 18000 Hz
Bande de fréquences:	UHF 863-865 MHz
Sélection de la fréquence:	Fréquence fixe
Commutateur:	Commutateur marche/arrêt; Commutateur muet
Dimension:	Largeur : 65 cm Profondeur : 20 cm Hauteur : 2,5 cm
Poids:	120 g
Carrier frequency:	863.010 MHz
Coverage:	50 m (with line-of-sight)
RF power output:	10 mW
Modulation method:	F3F
S/N ratio:	>105 dB
Selectivity:	>80 dB
T.H.D.:	<0.5 % at 1 kHz
Connection:	3.5 mm jack