

EUROLITE KLS-Kombo Pack 10

Universal mobile light set

Réf. : 42109550

GTIN:



L'article n'est plus disponible.

Caractéristiques:

Universal mobile light set

- Combines four LED spots, a flower effect and a water effect
- The standard light system for every small band, solo entertainers and parties
- Set consisting of: 42109781 EUROLITE LED KLS-401 Compact lightset, 51918665 EUROLITE LED PIX-3 Flower effect, 2 x 51918612 EUROLITE LED MF-100 Flower effect, 60004120 Speaker system stand alu, black, 59007081 EUROLITE STV-3529 Adapter long
- Details to the products:
- KLS-401 Compact lightset
- Complete LED light set with 4 spots
- Compact and easy to transport
- 720 LEDs
- 4 IEC outputs for power supply of further devices
- LED PIX-3 Flower effect
- An angled row with 3 glass lenses offer phenomenal effects
- Operable in stand-alone mode or DMX interface
- Functions: Auto mode, sound control, internal programs, strobe settings via DMX, Master/Slave
- Equipped with 192 x 5 mm LED (48 x red, green, blue and white each)
- 51918612 EUROLITE LED MF-100 RGBAW flower effect
- Equipped with 5 x 3 W LED: 1 x red, 1 x green, 1 x blue, 1 x amber and 1 x white
- Available in three different models (flowereffekt with/without mirror, barrel effect)
- Functions: Static colors, colored beams in R, G, B, A and W, color change, color fade, strobe settings and motor-steps via DMX, Master/Slave
- You can find more information under the respective article

Logistique

EUROLITE LED KLS-401 Compact Light Set

Bar avec 4 spots de 108 LED (RGB) et sac de transport

- Complete LED light set with four slimline LED spots
- Crossbar with integrated DMX control unit
- Installation via TV pin for tripods with 28 mm interior diameter
- Ultra-light ideally suited for mobile use
- Comes pre-assembled with practical transport bag
- 180 x 10 mm LED per spot (60 x red, 60 x green, 60 x blue)
- Movable and tiltable spotlights
- DMX-controlled operation or stand-alone operation with processor-controlled color change
- Master/Slave operation
- Sound-control via built-in microphone with sensitivity control
- Convenient control possible via optional 4-pedal foot pedal FP-1 or IR remote control
- DMX512 control via regular DMX controller (occupies 15 channels)
- Optimized for control with the optional control panel DMX LED Operator 4
- Via DMX, each spot can be individually controlled
- DMX functions: dimmer, automatic mode, music control, strobe effect
- Addressing and setting via control panel with 4-digit LED display
- Suited for installation on a lighting stand (not included)
- Black lacquered metal version
- Ideal for bands, stages or solo entertainers
- Ready for connection with power cord and safety plug
- 4 IEC outputs for power supply of further devices
- 180 LED puissantes 10 mm R/G/B spots pouvant être commandés individuellement
- Commandé via stand-alone; DMX; Pédale de commande câblée (facultatif); Télécommande infrarouge (facultatif)
- Déjà préprogrammé pour %: LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3
- Avec un Angle de départ de 25°
- Vous trouverez de plus amples informations sur ce produit dans la rubrique « Téléchargements » de la fiche technique

L'étendue des fournitures

- 1 x projecteur

OMNITRONIC Speaker System Stand alu bk

High-quality speaker stand

- Stable speaker stand for mobile use
- The telescopic tube is additionally fixed with a safety pin
- Réglable en hauteur

EUROLITE Adaptateur STV-3529 long

Adaptateur massif pour tube de 35 mm, broche TV 28 mm, charge maximale WLL 100 kg

- Pour trépieds avec tube télescopique de 35 mm
- Pièce de jonction pour traverse avec tenon TV de 28 mm
- Avec vis de blocage M6 et M8
- Conception lourde pour une stabilité maximale
- Pivot TV

L'étendue des fournitures

- 1 x appareil, 1 x mode d'emploi, 2 x vis moletée

EUROLITE LED PIX-3 Flower effect

LED flower effect with 3 glass lenses for room-filling effects

- An angled row with 3 glass lenses offer phenomenal effects
- Operable in stand-alone mode or DMX interface
- DMX512 control possible via any commercial DMX controller (occupies max.3 channels)
- 2 or 3 DMX channels selectable for numerous applications
- Sound-control via built-in microphone
- Microphone sensitivity adjustable via rotary control

- Comfortable addressing and setting via control panel with LED display and four operating buttons
- Functions: Auto mode, sound control, internal programs, strobe settings via DMX, Master/Slave
- Equipped with 192 x 5 mm LED (48 x red, green, blue and white each)
- Locking possibility at the mounting bracket
- Including mounting bracket and mounting hole (36 mm) with fixation screw for installation on a truss system or stand
- Feed-through output allows to power another device
- After every 8 devices the fixtures must have a renewed connection with the power mains
- IEC Power cord with safety-plug included in delivery

EUROLITE LED MF-100 Flower effect

RGBAW flower effect with 3 W LEDs

- Equipped with 5 x 3 W LED: 1 x red, 1 x green, 1 x blue, 1 x amber and 1 x white
- Available in three different models (flowereffekt with/without mirror, barrel effect)
- Functions: Static colors, colored beams in R, G, B, A and W, color change, color fade, strobe settings and motor-steps via DMX, Master/Slave
- DMX-controlled operation or stand-alone operation with Master/Slave function
- DMX512 control possible via any commercial DMX controller
- Comfortable addressing and setting via control panel with LED display and four operating buttons
- Sound-control via built-in microphone
- Microphone-sensitivity adjustable
- Manual focus
- Fuzzy sound control: program continues automatically during periods without music or bass-beat
- Easy installation

OMNITRONIC Câble XLR 3 broches 0,5 m noir

Câble audio à connecteurs XLR 3 broches<p class='attributgroup'>L'étendue des fournitures

- 1 x câble XLR

Données techniques:

Poids:	22,74 kg
Spécifications juridiques	
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages
Utilisation:	Éclairage pour effets de spectacle

EUROLITE LED KLS-401 Compact Light Set

Alimentation électrique:	230 V AC, 50 Hz
Puissance totale de raccordement:	55,00 W
Type de protection:	IP20
Branchement électrique:	Alimentation électrique via Appareils froids (M) version encastrable Câble d'alimentation à prise contact de protection (inclus dans la livraison)
Sortie de courant:	1 x Appareils froids (F) version encastrable
Type de lampe:	Lampe LED
LED:	180 x 10 mm R/G/B
Canaux DMX:	15

Commande:	Stand-alone; DMX; Pédale de commande câblée (facultatif); Télécommande infrarouge (facultatif)
Préprogrammé dans:	LED PC-Control 512; EASY SHOW 1; Light Captain; EASY SHOW 2; EASY SHOW 3
Angle de départ:	25°
Angle de départ (1/2 pic):	25°
Couleur du boîtier:	Noir
Dimension:	Largeur : 1,2 m Profondeur : 5,5 cm Hauteur : 31 cm
Poids:	9,30 kg
DMX connection:	3-pin XLR
LED type:	10 mm
LED number:	720 (240 red, 240 green, 240 blue)
TV spigot:	D = 28 mm
Spécifications juridiques	
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages
Utilisation:	Éclairage pour effets de spectacle

OMNITRONIC Speaker System Stand alu bk

Charge maximale:	30 kg
Hauteur:	Maximal : 230 cm Minimal : 140 cm
Type (trépied en général):	Pied à tiroir manuel/pied d'enceinte
Matériau:	Aluminium
Couleur:	Noir
Poids:	3,45 kg
Maximum load:	30 kg
Maximum load (DIN15560):	18 kg
Minimum height:	1.40 m
Maximum height:	2.20 m

EUROLITE Adaptateur STV-3529 long

Charge maximale BGV C1 (8 fois):	50 kg
Charge maximale WLL (4 fois):	100 kg
Système d'enregistrement:	Broche TV Ø 28 mm Ø 35 mm
Type (trépied en général):	Accessoire
Matériau:	Acier, 6 mm, thermolaqué
Dimension:	Largeur : 8,50 cm Profondeur : 5 cm Hauteur : 19,50 cm
Poids:	1,50 kg

EUROLITE LED PIX-3 Flower effect

Alimentation électrique:	230 V AC, 50 Hz
Puissance totale de raccordement:	20,00 W
Dimension:	Largeur : 26,5 cm Profondeur : 38 cm Hauteur : 19 cm
Poids:	3,55 kg
DMX channels:	2/3
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
LED type:	5 mm
LED number:	192
Beam angle:	80°
Mounting hole:	D = 36 mm
Dimensions:	265 x 380 x 190 mm
Spécifications juridiques	
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages
Utilisation:	Éclairage pour effets de spectacle

EUROLITE LED MF-100 Flower effect

Alimentation électrique:	230 V AC, 50 Hz
Puissance totale de raccordement:	25,00 W
Dimension:	Largeur : 19,5 cm Profondeur : 20,5 cm Hauteur : 26,5 cm
Poids:	2,35 kg
DMX channels:	3
DMX connection:	3-pin XLR
Sound-control:	via built-in microphone
LED type:	3 W
LED number:	5
Beam angle:	50°
Dimensions:	195 x 205 x 265 mm
Spécifications juridiques	
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages
Utilisation:	Éclairage pour effets de spectacle

OMNITRONIC Câble XLR 3 broches 0,5 m noir

Conception du câble:	Câble audio
Longueur du câble:	0,5 m

Raccord A:	1 x XLR (M) 3 broches
Raccord B:	1 x XLR (F) 3 broches
Couleur:	Noir
Poids:	80 g