

FUTURELIGHT DSC-40 LED-Scan

PRO LED scanner with LUMINUS SST-90 LED

Réf. : 51839900

GTIN: 4026397447774



Caractéristiques:

- 12 or 14 DMX channels selectable for numerous applications
- Color-wheel with 7 different, dichroic color filters, UV filter and white
- Switchable color change (mode 1: only full colors, mode 2: color-change at every position)
- Rainbow effect with adjustable speed in both directions
- Slot-in gobo system for exchanging gobos without tools
- Gobo wheel with 7 rotating gobos plus open
- All gobos can be interchanged
- With gobo shake function
- Effect wheel with rotating 3-facet prism and 3D prism
- Macro function for rotating gobos/rotating prism combinations
- Frost filter
- Motorized focus
- Dimmer
- Strobe effect with 1-13 flashes per second via shutter
- Random strobe effect
- Exact positioning via 16 bit PAN/TILT movement resolution
- Controlboard with 4-digit display and foil-keyboard for adjusting the DMX starting address, PAN/TILT Reverse, Program, Reset
- DMX-controlled operation or stand-alone operation with Master/Slave function
- 7 built-in programs can be called up via DMX controller
- 48 preprogrammed scenes in Program Run for stand-alone operation
- Number of scenes in Program Run can be changed individually
- The scenes in Program Run can be modified via the control board or via an external controller and loaded into the memory
- Software-upload by optional accessory via DMX link
- Sound-controlled via built-in microphone

Logistique

EAN / GTIN: 4026397447774

Poids: 10,00 kg

Longueur: 0.68 m

Largeur: 0.38 m

Hauteur: 0.35 m

- DMX control via every standard DMX controller
- 1 LED
- Roue de gobo à gobos rotatifs
- Roue de gobo à gobos rotatifs, 7 gobos et ouvert
Gobos interchangeable
- Commandé via commande de la musique via microphone; RDM

Données techniques:

Alimentation électrique:	230 V AC, 50 Hz
Puissance totale de raccordement:	115 W
Type de LED:	1
Mouvement de basculement max. TILT:	45° positionnement
Mouvement de pivotement max. PAN:	180° positionnement
Fréquence du flash:	1 - 13 Hz
Équipement:	Roue de gobo à gobos rotatifs
Gobos:	Roue de gobo à gobos rotatifs, 7 gobos et ouvert Diamètre externe 27mm Diamètre de l'image 22mm Gobos interchangeables
Canaux DMX:	12
Commande:	Commande de la musique via microphone; RDM
Angle de départ (1/2 pic):	12°
Couleur:	Noir
Dimension:	Largeur : 30 cm Profondeur : 57 cm Hauteur : 30 cm
Poids:	7,90 kg
DMX channels:	12/14
DMX connection:	3-pin XLR
Flash-rate:	13 Hz
Sound-control:	via built-in microphone
LED type:	LUMINUS SST-90
LED number:	1
Color-wheel:	7 dichroic filters, UV filter and open
Rotating gobo-wheel:	7 gobos and open
Outside diameter of the gobos:	27 mm
Image diameter of the gobos:	22 mm
Maximum PAN-movement:	180°
Maximum TILT-movement:	45°
Beam angle:	12°
Dimensions (L x W x H):	570 x 300 x 300 mm
Produit spécial:	Non destiné à l'éclairage de la pièce dans les ménages
Utilisation:	Éclairage pour effets de spectacle

Contenu de la livraison:
