



L'articolo non è più disponibile.

Features :

EUROLITE LED PMC-25x10W COB RGB 25°

PRO COB performance cluster with 5 x 5 matrix

- Operable in stand-alone mode via control panel with LCD screen or in DMX mode via any commercial DMX controller (occupies max. 79 channels)
- 3, 4, 5, 75, 78 or 79 DMX channels selectable for various applications
- Equipped with 25 x 10 W COB LEDs in the colors red, green and blue
- Each LED can be controlled individually
- Functions: Static colors, RGB color mixture, automatic color change, internal programs, dimmer and strobe settings via DMX, Master/Slave
- Dimmer speed (step response) controllable
- Adjustable white balance
- Various patterns via DMX allow for one-of-a-kind plays of light
- Comfortable addressing and setting via control panel with LC display and four operating buttons
- Locking possibility at the mounting bracket
- Feed-through output allows to power up to 8 devices
- Switch-mode power supply for operation between 100 and 240 Volts
- Power connection via Neutrik PowerCon jack and included power cable with safety plug
- Controllabile via DMX; RDM; controllo della musica via microfono
- Già pre-programmato con Light'J; Light Captain

ROADINGER Flightcase 4x PMC-25

PRO flightcase

- Compartments for 4 PMC-25
- Suitable for EUROLITE LED PMC-25x10W COB RGB 25°

Logistica

- High-quality workmanship with multiplex birch wood, dark brown laminated
- Aluminum profile frames (30 mm) with rounded edges
- Interior upholstered with foam
- Three-leg, medium-sized steel ball corners
- 2 hinges
- 1 butterfly lock
- 4 case handle
- Ruote girevoli
- Hardware di marca
- Per maggiori informazioni su questo prodotto, consultare "Download" nella scheda tecnica

Dati tecnici :

Peso:	73,00 kg
-------	----------

EUROLITE LED PMC-25x10W COB RGB 25°

Alimentazione elettrica:	100-240 V AC, 50/60 Hz
Potenza totale installata:	290,00 W
Grado di protezione:	IP20
Tipo di lampada:	Lampada a LED
Attivazione:	DMX; RDM; controllo della musica via microfono
Pre-programmato con:	Light´J; Light Captain
Angolazione del fascio di luce (1/2 picco):	25°
Colore della custodia:	Nero
Misure:	Larghezza: 43,1 cm Profondità: 17,9 cm Altezza: 44,8 cm
Peso:	11,45 kg
DMX channels:	3/4/5/75/78/79
DMX connection:	5-pin and 3-pin XLR
Flash-rate:	18 Hz
Sound-control:	via built-in microphone
LED number:	25
LED type:	Array Cluster 10 W, RGB
Beam angle:	25°
Dimensions (W x D x H):	431 x 178,8 x 448 mm
Prodotto speciale:	Non destinato all'illuminazione di ambienti domestici
Destinazione d'uso:	Illuminazione per effetti speciali

ROADINGER Flightcase 4x PMC-25

Carico massimo:	100 kg
Ausilio di trasporto:	Ruote girevoli
Uso del marchio:	Hardware di marca

Materiale:	Legno multistrato di betulla, 7 mm
Colore:	Marrone scuro, laminato
Misure:	Larghezza: 100 cm Profondità: 50 cm Altezza: 65,5 cm
Outside dimensions (L x W x H):	1000 x 500 x 655 mm
Inside dimensions (L x W x H):	955 x 450 x 425 mm
Compartment dimensions (L x W x H):	195 x 450 x 425 mm
Gewicht:	26.6 kg